ΚΑΤΑΛΟΓΟΣ ΠΡΟΪΟΝΤΩΝ 2020



ΗΛΕΚΤΡΟΚΑΛΥΨΗ ΕΠΕ

Εισαγωγές Ηλεκρολογικού Υλικού
Κύπρου 138-140 - 164 52 Αθήνα
Τηλ.: 210 9616120-121
Fax: 210 9600124

Sections

2R LED Lighting 2-76 pages

2R Park & Garden Fixtures 77-90 pages

2R Insect Killer Lighting Equipment 91-92 pages

2R Street poles 93-96 pages

2R LED Auto Lights GALAXY 97-104 pages

Member of CISQ Federation

RINA

ISO 9001
ISO 14001
BS OHSAS 18001
Certified Integrated Systems

©2020. 2R

Order No. 03 202 176
English XIII/20, 09 141 311
Τυπώθηκε στην Ιταλία.
Τυπωμένο σε περιβαλλοντικά φιλικό χαρτί, χωρίς χλωρίνη, κατάλληλο για ανακύκλωση

Το βάρος, το μέγεθος και οι διαστάσεις μπορεί να διαφέρουν ανάλογα με το μεμονωμένο προϊόν και τα χαρακτηριστικά του. Οι απεικονίσεις, οι διαστάσεις και τα χρώματα αποτελούν γενικό οδηγό και τα χρώματα αναπαράγονται με ακρίβεια όπως επιτρέπει η διαδικασία εκτύπωσης. Οι προδιαγραφές, τα μοντέλα και τα χρώματα μπορούν να αλλάξουν χωρίς προειδοποίηση, καθώς η 2R Bulgaria Ltd βελτιώνει διαρκώς το προϊόν της. Η 2R Bulgaria Ltd δεν ευθύνεται για τυπογραφικά, φωτογραφικά ή τυπογραφικά σφάλματα.

Ολα τα δικαιώματα διατηρούνται. 2R Bulgaria Ltd 2020

Weight, size and dimensions may vary according to the individual product and its features. Illustrations, dimensions and colors are intended as a general guide and the colors are reproduced as accurately as the printing process allows. Specifications, models and colors are subject to change without notice, as 2R Bulgaria is constantly improving it's product. 2R Bulgaria is not responsible for typographical, photographical or printing errors.

All rights reserved. 2R Bulgaria 2020

LED Lighting Sections


2-5
LED LAMP E14, E27


7-9
FILAMENT LAMP E14, E27


10-11
LED LAMP G4, G9


12-13
LED LAMP MR16, GU10


14
LED TUBE T8


15
LED TYRE T5


16-19
LED PANEL SLIM


19
NEOLUX FOR LED TUBE


20-21
E PLUS PRO SMD


22
E PLUS PRO IP65 WATERPROOF BATTEN


23-24
LED LINEAR LIGHT


25
LED TRUNKING LIGHT


26-27
LED BATTEN GALY, TYRE FSL, CLASSIC, TYRE S


28-29
LED DOWNLIGHT CYCLONE


30-31
LED DOWNLIGHT BACK LIGHT CAPRI


32
LED DOWNLIGHT BACK LIGHT CAPRI GLASS


33-34
LED DOWNLIGHT SIDE LIGHT
LED DOWNLIGHTS HILUX FTS


35
LED DOWNLIGHT ANGEL EYE


36-37
LED DOWNLIGHT


38
LED DOWNLIGHT


39
LED STAIR LIGHT


40-41
LED FLOODLIGHTS


42-43
LED FLOODLIGHTS


44-45
LED HIGH BAY


46-49
LED STREET LIGHT


50-51
LED SOLAR SYSTEM iSTAR


52
LED SECURITY LIGHT KONA


53
LED WALL LIGHT


54-55
LED WALL LAMP


56
LED WALL LAMP



57
LED EMERGENCY LIGHT


58
LED WALL WASHER


59
LED UNDERGROUND LIGHT


60-61
LED TRACK LIGHT


62
LED TRACK LIGHT


63
TRACK LINES
CONNECTORS FOR LINES


64-67
LED CEILING and SENSOR LAMP


68-70
LED STRIP LIGHT


71
CONNECTOR FOR LED STRIP PROFILES FOR LED STRIP


72-74
LED TRANSFORMER LED CONTROLER

75
NEON LED STT

76
ACCESSORIES FOR NEON LED STT, CHIPS, DRIVERS

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Reflector Lamp
R50A E14

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
71872	LED Reflector Lamp R50A E14	6W	470	3000K	2,50
73845	LED Reflector Lamp R50A E14	6W	480	4000K	2,50
86661	LED Reflector Lamp R50A E14	6W	490	6500K	2,50

Classification

15000hrs | A+ | IP20 | Beam Angle 120° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type Alum+PC

BOX 200 pcs

Dimensions



LED Lamp CAP GLOBE
E14

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
82328	LED Lamp CAP GLOBE E14	8W	640	3000K	1,67
82342	LED Lamp CAP GLOBE E14	8W	640	4000K	1,67
82366	LED Lamp CAP GLOBE E14	8W	640	6000K	1,67

Classification

30000hrs | A+ | IP20 | Beam Angle 180° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 100 pcs

Dimensions



LED Lamp CAP CANDLE
E14

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
01572	LED Lamp CAP CANDLE E14	5.5W	460	3000K	1,57
01596	LED Lamp CAP CANDLE E14	5.5W	470	4000K	1,57
18495	LED Lamp CAP CANDLE E14	5.5W	480	6500K	1,57
31272	LED Lamp CAP CANDLE E14	8W	640	3000K	1,67
31289	LED Lamp CAP CANDLE E14	8W	640	4000K	1,67
31296	LED Lamp CAP CANDLE E14	8W	640	6000K	1,67

Classification

30000hrs | A+ | IP20 | Beam Angle 180° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 5.5w-200pcs 8w-100pcs

Dimensions



LED Lamp CAP CANDLE DIMMABLE
E14

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
86685	LED Lamp CAP CANDLE E14 DIMM	6W	470	3000K	4,26
86692	LED Lamp CAP CANDLE E14 DIMM	6W	480	4000K	4,26
86678	LED Lamp CAP CANDLE E14 DIMM	6W	490	6500K	4,26

Classification

30000hrs | A+ | IP20 | Beam Angle 180° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX DIMMABLE 200 pcs

Dimensions




Classification

5000hrs | A+ | IP20 | Beam Angle 180° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 100 pcs

Dimensions



LED Lamp CAP GLOBE
G45 E27

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19010	LED Lamp CAP GLOBE G45 E27	5.5W	460	3000K	1,71
19027	LED Lamp CAP GLOBE G45 E27	5.5W	470	4000K	1,71
19034	LED Lamp CAP GLOBE G45 E27	5.5W	490	6500K	1,71

Classification

5000hrs | A+ | IP20 | Beam Angle 270° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 100 pcs

Dimensions



LED Lamp CAP GLOBE
A50 E27

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
00971	LED Lamp CAP GLOBE A50 E27	3W	230	3000K	1,48
00995	LED Lamp CAP GLOBE A50 E27	3W	230	4000K	1,48
18983	LED Lamp CAP GLOBE A50 E27	3W	230	6000K	1,48

Classification

25000hrs | A+ | IP20 | Beam Angle 200° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 100 pcs

Dimensions



LED Lamp CAP GLOBE
A60 E27

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
00896	LED Lamp CAP GLOBE A60 E27	7W	600	3000K	1,67
00919	LED Lamp CAP GLOBE A60 E27	7W	610	4000K	1,67
19119	LED Lamp CAP GLOBE A60 E27	7W	630	6500K	1,67
01015	LED Lamp CAP GLOBE A60 E27	10W	800	3000K	1,71
01039	LED Lamp CAP GLOBE A60 E27	10W	820	4000K	1,71
18877	LED Lamp CAP GLOBE A60 E27	10W	850	6500K	1,71
00933	LED Lamp CAP GLOBE A60 E27	12W	1050	3000K	1,80
00957	LED Lamp CAP GLOBE A60 E27	12W	1100	4000K	1,80
18884	LED Lamp CAP GLOBE A60 E27	12W	1150	6500K	1,80
86708	LED Lamp CAP GLOBE A60 E27	15W	1100	3000K	2,73
86715	LED Lamp CAP GLOBE A60 E27	15W	1150	4000K	2,73
86722	LED Lamp CAP GLOBE A60 E27	15W	1200	6500K	2,73

LED Lamp CAP GLOBE
A60 E27
4pcs SET



WARRANTY 3 YEARS



Classification

30000hrs | A+ | IP20 | Beam Angle 240° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 20 set

Dimensions 117 mm × 60mm

SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
12639	LED Lamp CAP GLOBE A60 E27	12W	1080	3000K	6,75
12653	LED Lamp CAP GLOBE A60 E27	12W	1080	4000K	6,75
12677	LED Lamp CAP GLOBE A60 E27	12W	1080	6500K	6,75

LED Lamp CAP GLOBE DIMMABLE
A60 E27

WARRANTY 2 YEARS



Classification

25000hrs | A+ | IP20 | Beam Angle 200° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

DIMMABLE BOX 100 pcs

Dimensions 117 mm × 60mm

SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
86739	LED Lamp CAP GLOBE A60 E27 DIMM	10W	800	3000K	4,63
86746	LED Lamp CAP GLOBE A60 E27 DIMM	10W	830	4000K	4,63
86753	LED Lamp CAP GLOBE A60 E27 DIMM	10W	850	6500K	4,63

LED Lamp CAP GLOBE
G95 E27

WARRANTY 2 YEARS



Classification

25000hrs | A+ | IP20 | Beam Angle 270° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 50 pcs

Dimensions 135 mm × 95mm


SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
82885	LED Lamp CAP GLOBE G95 E27	15W	1200	3000K	4,63
36543	LED Lamp CAP GLOBE G95 E27	15W	1200	4000K	4,63
82908	LED Lamp CAP GLOBE G95 E27	15W	1200	6000K	4,63

Classification

25000hrs | A+ | IP20 | Beam Angle 160° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 50 pcs

Dimensions



LED Lamp CAP GLOBE
T80 E27




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19287	LED Lamp CAP GLOBE T80 E27	20W	1700	3000K	5,74
19294	LED Lamp CAP GLOBE T80 E27	20W	1750	4000K	5,74
19300	LED Lamp CAP GLOBE T80 E27	20W	1800	6500K	5,74

Classification

25000hrs | A+ | IP20 | Beam Angle 160° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC

BOX 20 pcs

Dimensions



LED Lamp CAP GLOBE
T110 E27



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19225	LED Lamp CAP GLOBE T110 E27	35W	2800	4000K	13,88
86760	LED Lamp CAP GLOBE T110 E27	35W	3000	6500K	13,88
19232	LED Lamp CAP GLOBE T110 E27	45W	3500	3000K	16,19
19249	LED Lamp CAP GLOBE T110 E27	45W	3600	4000K	16,19
19256	LED Lamp CAP GLOBE T110 E27	45W	3800	6500K	16,19
86777	LED Lamp CAP GLOBE T110 E27	60W	4600	4000K	17,53
19263	LED Lamp CAP GLOBE T110 E27	60W	5000	6500K	17,53
86784	LED Lamp CAP GLOBE T110 E27	80W	6600	4000K	20,30
19270	LED Lamp CAP GLOBE T110 E27	80W	6700	6500K	20,30

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Lamp CORN
E27



CORN E27
15W



CORN E27
30W

WARRANTY 2 YEARS


Classification

30000hrs | A+ | IP20 | Beam Angle 360° | CRI >80 | PF >0.9 | Voltage AC230V | Body Type Alum+PC

BOX CORN 15W 100 set

BOX CORN 30W 50 set

Dimensions



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
03163	LED Lamp CORN E27	15W	1500	4500K	5,27
07239	LED Lamp CORN E27	30W	3000	4500K	22,20

LED Lamp FILAMENT MATT
T10 E27




WARRANTY 2 YEARS

Classification

15000hrs | A+ | IP20 | Beam Angle 300° | CRI >80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass

BOX pcs

Dimensions




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
86791	LED Lamp FILAMENT T10 MATT	8W	960	2700K	3,42

Classification

15000hrs | A+ | IP20 | Beam Angle 300° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass

BOX 200 pcs

Dimensions



LED Lamp FILAMENT
C35 E14



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
20443	LED Lamp FILAMENT C35	2W	180	2700K	2,03
01558	LED Lamp FILAMENT C35	4W	360	2700K	2,17

Classification

15000hrs | A+ | IP20 | Beam Angle 300° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass

BOX 200 pcs

Dimensions



LED Lamp FILAMENT Flame
BT35 E14



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
03453	LED Lamp FILAMENT BT35 Flame	2W	160	2700K	2,13
01534	LED Lamp FILAMENT BT35 Flame	4W	320	2700K	2,27

Classification

15000hrs | A+ | IP20 | Beam Angle 300° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass

BOX 100 pcs

Dimensions



LED Lamp FILAMENT
A60 E27



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
03125	LED Lamp FILAMENT A60	4W	360	2700K	2,45
03149	LED Lamp FILAMENT A60	6W	600	2700K	3,38

Classification

15000hrs | A+ | IP20 | Beam Angle 300° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass

BOX DIMMABLE 100 pcs

Dimensions



LED Lamp FILAMENT DIMMABLE
A60 E27



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
86807	LED Lamp FILAMENT A60 DIMM	7W	630	2700K	4,63

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Lamp FILAMENT
ST64 E27

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
03101	LED Lamp FILAMENT ST64	4W	360	2700K	3,61
86814	LED Lamp FILAMENT ST64 smoke	4W	360	2700K	3,70
86821	LED Lamp FILAMENT ST64	7W	630	2700K	4,16

Classification

15000hrs | A+ | IP20 | Beam Angle 300° | CRI >80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass | BOX 100 pcs

Dimensions



LED Lamp FILAMENT DIMMABLE
ST64 E27

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
86838	LED Lamp FILAMENT ST64 DIMM	4W	360	2700K	4,16

Classification

15000hrs | A+ | IP20 | Beam Angle 300° | CRI >80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass | DIMMABLE | BOX 100 pcs

Dimensions



LED Lamp FILAMENT
G80 E27

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
03088	LED Lamp FILAMENT G80	4W	470	2700K	3,47

Classification

15000hrs | A+ | IP20 | Beam Angle 300° | CRI >80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass | BOX 100 pcs

Dimensions



Classification

25000hrs | A+ | IP20 | Beam Angle 300° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass

BOX
50 pcs

Dimensions



LED Lamp FILAMENT
G95 E27

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
20511	LED Lamp FILAMENT G95	4W	470	2700K	4,44
20641	LED Lamp FILAMENT G95	7W	800	2700K	4,76

DIMMABLE

LED Lamp FILAMENT DIMMABLE
G95 E27

SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
86845	LED Lamp FILAMENT G95 DIMM	4W	470	2700K	4,86

Classification

25000hrs | A+ | IP20 | Beam Angle 300° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+Glass

BOX
50 pcs

Dimensions



LED Lamp FILAMENT
G125 E27

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
20634	LED Lamp FILAMENT G125	7W	800	2700K	5,04

DIMMABLE

LED Lamp FILAMENT DIMMABLE
G125 E27

SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
86852	LED Lamp FILAMENT G125 DIMM	7W	800	2700K	6,94

LED Lamp CAP COB
12V G4

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19317	LED Lamp CAP COB G4	2W	200	3000K	1,71
19324	LED Lamp CAP COB G4	2W	200	4000K	1,71

Classification

15000hrs | A+ | IP20 | Beam Angle 270° | CRI 80 | PF >0.5 | Voltage DC12V | Body Type Alum+PC

BOX 1000 pcs

Dimensions



LED Lamp CAP COB
12V G4

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19416	LED Lamp CAP COB G4	4W	360	3000K	2,54
19423	LED Lamp CAP COB G4	4W	360	4000K	2,54

Classification

15000hrs | A+ | IP20 | Beam Angle 270° | CRI 80 | PF >0.5 | Voltage DC12V | Body Type Alum+PC

BOX 1000 pcs

Dimensions



LED Lamp CAP COB
230V G4

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19393	LED Lamp CAP COB G4	2W	220	3000K	2,17
19409	LED Lamp CAP COB G4	2W	220	4000K	2,17

Classification

15000hrs | A+ | IP20 | Beam Angle 270° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Ceramic + PC

BOX 1000 pcs

Dimensions




Classification

15000hrs | A+ | IP20 | Beam Angle 270° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Ceramic + PC

BOX 1000 pcs

Dimensions



LED Lamp CAP
230V G9

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19577	LED Lamp CAP COB G9	4W	360	3000K	2,50
19584	LED Lamp CAP COB G9	4W	360	4000K	2,50

Classification

15000hrs | A+ | IP20 | Beam Angle 270° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Ceramic + PC

BOX 1000 pcs

Dimensions



LED Lamp CAP
230V G9

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19553	LED Lamp CAP G9	6W	480	3000K	2,59
19560	LED Lamp CAP G9	6W	480	4000K	2,59

Classification

15000hrs | A+ | IP20 | Beam Angle 270° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Ceramic + PC

BOX 1000 pcs

Dimensions



LED Lamp CAP
230V G9

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19492	LED Lamp CAP G9	10W	800	3000K	4,39
19508	LED Lamp CAP G9	10W	800	4000K	4,39

LED Lamp
230V MR16




Classification

25000hrs | A+ | IP20 | Beam Angle 120° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Plastic + AL

BOX 100 pcs

Dimensions



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
13636	LED Lamp MR16	3W	240	4000K	1,34
82922	LED Lamp MR16	5W	400	3000K	1,53
13650	LED Lamp MR16	5W	400	4000K	1,53
82946	LED Lamp MR16	5W	400	6000K	1,53
82960	LED Lamp MR16	7W	560	3000K	1,76
13674	LED Lamp MR16	7W	560	4000K	1,76
82984	LED Lamp MR16	7W	560	6000K	1,76

LED Lamp
12V MR16




Classification

25000hrs | A+ | IP20 | Beam Angle 100° | CRI ≥80 | PF >0.5 | Voltage DC12V | Body Type Plastic + AL

BOX 200 pcs

Dimensions




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19966	LED Lamp MR16 Frost	6W	500	3000K	3,65
19973	LED Lamp MR16 Frost	6W	510	4000K	3,65

Classification

25000hrs | A+ | IP20 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type Plastic + AL | BOX 100 pcs

Dimensions



LED Lamp
230V GU10

WARRANTY 2 YEARS




SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
60869	LED Lamp GU10	5W	400	3000K	1,71
85695	LED Lamp GU10	5W	400	4000K	1,71
85718	LED Lamp GU10	5W	400	6000K	1,71
83028	LED Lamp GU10	7W	560	3000K	1,99
13612	LED Lamp GU10	7W	560	4000K	1,99
83004	LED Lamp GU10	7W	560	6000K	1,99

Classification

25000hrs | A+ | IP20 | Beam Angle 38° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type Plastic + AL | DIMMABLE | BOX 100 pcs

Dimensions



LED Lamp 230V DIMMABLE
GU10

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Τιμή (€)
19799	LED Lamp 230V DIMM GU10	5.5W	400	4000K	3,98
87149	LED Lamp 230V DIMM GU10	6.5W	500	3000K	4,07
19829	LED Lamp 230V DIMM GU10	6.5W	500	4000K	4,07

LED Tube Single end
T8



WARRANTY 3 YEARS

Connection method
Single End




Classification



BOX 9W 25pcs BOX 18W 25pcs BOX 26W 20pcs

Dimensions



SKU	Model	EQ. Watts	Lumens	Kelvin	A x B mm	Τιμή (€)
01213	LED Tube T8 L600 Single end	9W	900	4000K	602 x 30	2,50
01237	LED Tube T8 L600 Single end	9W	900	6500K	602 x 30	2,50
01251	LED Tube T8 L1200 Single end	18W	1800	4000K	1212 x 30	3,52
01275	LED Tube T8 L1200 Single end	18W	1800	6500K	1212 x 30	3,52
01299	LED Tube T8 L1500 Single end	26W	2400	4000K	1512 x 30	5,32
01312	LED Tube T8 L1500 Single end	26W	2400	6500K	1512 x 30	5,32

LED Tube Double end
T8



WARRANTY 3 YEARS

Connection method
Double End




Classification




BOX 9W 25pcs BOX 18W 25pcs BOX 26W 20pcs

Dimensions



SKU	Model	EQ. Watts	Lumens	Kelvin	A x B mm	Τιμή (€)
01091	LED Tube T8 L600 Double end	9W	900	4000K	602 x 30	2,50
01114	LED Tube T8 L600 Double end	9W	900	6500K	602 x 30	2,50
01138	LED Tube T8 L1200 Double end	18W	1800	4000K	1212 x 30	3,52
01152	LED Tube T8 L1200 Double end	18W	1800	6500K	1212 x 30	3,52
01176	LED Tube T8 L1500 Double end	26W	2400	4000K	1512 x 30	5,32
01190	LED Tube T8 L1500 Double end	26W	2400	6500K	1512 x 30	5,32



LED Tyre
T5




WARRANTY 2 YEARS

Classification

25000hrs | A+ | IP20 | Beam Angle 130° | CRI 80 | PF >0.9 | Voltage AC230V | Body Type Glass +PC

BOX 20pcs

Dimensions



SKU	Model	EQ. Watts	Lumens	Kelvin	A x B x C mm	Τιμή (€)
28777	LED Tyre T5 L300	4W	400	3000K	309 x 22.8 x 38.5	3,42
28784	LED Tyre T5 L300	4W	400	5000K	309 x 22.8 x 38.5	3,42
28814	LED Tyre T5 L600	8W	800	3000K	570 x 22.8 x 38.5	4,35
28821	LED Tyre T5 L600	8W	800	5000K	570 x 22.8 x 38.5	4,35
28692	LED Tyre T5 L900	10W	1000	3000K	870 x 22.8 x 38.5	5,04
28715	LED Tyre T5 L900	10W	1000	5000K	870 x 22.8 x 38.5	5,04
28739	LED Tyre T5 L1200	14W	1400	3000K	1170 x 22.8 x 38.5	6,20
28753	LED Tyre T5 L1200	14W	1400	5000K	1170 x 22.8 x 38.5	6,20



LED Tyre with Switch
T5




WARRANTY 2 YEARS

Classification

25000hrs | A+ | IP20 | Beam Angle 130° | CRI 80 | PF >0.9 | Voltage AC230V | Body Type Glass +PC

BOX 20pcs

Dimensions




SKU	Model	EQ. Watts	Lumens	Kelvin	A x B x C mm	Τιμή (€)
28890	LED Tyre T5 L300 with switch	4W	400	5000K	310 x 22.5 x 36.5	3,70
28913	LED Tyre T5 L600 with switch	8W	800	5000K	571 x 22.5 x 36.5	4,81
28951	LED Tyre T5 L900 with switch	10W	1000	5000K	871 x 22.5 x 36.5	5,50
28869	LED Tyre T5 L1200 with switch	14W	1400	5000K	1171 x 22.5 x 36.5	6,66

LED panel CAPRI SLIM
600x600 mm
40W




Photometric Data



WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
13926	LED panel CAPRI SLIM	40W	3600	3000 K	595x595x9	27,70
24793	LED panel CAPRI SLIM	40W	3600	4000 K	595x595x9	27,70
24816	LED panel CAPRI SLIM	40W	3600	6500 K	595x595x9	27,70
13759	Frame OM 600x600x55mm Metal				613x613x58	12,90
15623	Frame OM 600x600x45mm Aluminium/Metal				605x605x50	12,90
24335	Hanging set					4,53
86876	LED Emergency unit					






Classification

50000hrs | A+ | IP44 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type AL+PC

BOX 10 pcs


Dimensions



LED panel CAPRI SLIM
600x600 mm
48W



Photometric Data



WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
24755	LED panel CAPRI SLIM	48W	4500	3000 K	595x595x9	35,15
13957	LED panel CAPRI SLIM	48W	4500	4000 K	595x595x9	35,15
13964	LED panel CAPRI SLIM	48W	4500	6500 K	595x595x9	35,15
13759	Frame OM 600x600x55mm Metal				613x613x58	12,90
15623	Frame OM 600x600x45mm Aluminium/Metal				605x605x50	12,90
24335	Hanging set					4,53
86876	LED Emergency unit					






Classification

50000 hrs | A+ | IP44 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type AL+PMMA

BOX 10 pcs

Dimensions







LED panel CAPRI SLIM DIMMABLE
600x600 mm




WARRANTY 3 YEARS

Classification


50000hrs | A+ | IP44 | Beam Angle 120° | CRI 80 | PF >0.9 | Voltage AC230V | Body Type AL+PMMA

BOX 10 pcs | DIMMABLE

Dimensions



Photometric Data




SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
13971	LED panel CAPRI SLIM DIMM	48W	4500	3000 K	595x595x9	50,88
13988	LED panel CAPRI SLIM DIMM	48W	4500	4000 K	595x595x9	50,88
13995	LED panel CAPRI SLIM DIMM	48W	4500	6500 K	595x595x9	50,88
13759	Frame OM 600x600x55mm Metal				613x613x58	12,90
15623	Frame OM 600x600x45mm Aluminium/Metal				605x605x50	12,90
24335	Hanging set					4,53
86876	LED Emergency unit					


LED panel FAIRY SLIM
600 x 600 mm
625 x 625 mm

UGR<19 microprismatic diffuse limiting dazzle




WARRANTY 3 YEARS








Photometric Data



Classification

50000hr | A+ | IP44 | Beam Angle 120° | CRI 80 | PF >0.9 | Voltage AC230V | Body Type AL+PMMA | BOX 10 pcs | UGR <19

Dimensions



LED panel FAIRY SLIM 600x600mm

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
11403	LED panel FAIRY SLIM	40W	4400	4000 K	595x595x8	43,48
13759	Frame OM 600x600x55mm Metal				613x613x58	12,90
15623	Frame OM 600x600x45mm Aluminium/Metal				605x605x50	12,90
24335	Hanging set					4,53
86876	LED Emergency unit					

LED panel FAIRY SLIM 625x625mm

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
86883	LED panel FAIRY SLIM	40W	4400	4000 K	625x625x8	48,10
24335	Hanging set					4,53






Classification


50000hrs | A+ | IP44 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type PC

BOX 10 pcs

Dimensions



Photometric Data



LED panel CAPRI SLIM
300 x 600 mm



WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
14008	LED panel CAPRI SLIM	20W	1800	3000 K	295x595x8	21,28
12288	LED panel CAPRI SLIM	20W	1800	4000 K	295x595x8	21,28
12295	LED panel CAPRI SLIM	20W	1800	6500 K	295x595x8	21,28
13766	Frame OM 300x600x55mm Metal				320x620x65	11,98
86869	Frame OM 300x600x45mm Aluminium/Metal				320x620x65	11,98
24335	Hanging set					4,53
86876	LED Emergency unit					

LED panel CAPRI SLIM
300 x 1200 mm





WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
13933	LED panel CAPRI SLIM	40W	3600	3000 K	295x1195x8	36,95
12240	LED panel CAPRI SLIM	40W	3600	4000 K	295x1195x8	36,95
12257	LED panel CAPRI SLIM	40W	3600	6500 K	295x1195x8	36,95
13773	Frame OM 300x1200x55mm Metal				320x1220x65	16,84
87019	Frame OM 300x1200x45mm Aluminium/Metal				320x1220x65	16,84
24335	Hanging set					4,53
86876	LED Emergency unit					

Voltage AC230V | IP20 | BOX 2 pcs

WARRANTY 2 YEARS





NEOLUX for LED Tube VG/OM

SKU	Model	AxBxC mm	Τιμή (€)
09998	4xT8 LED 600mm Double end VG	595x595x80	27,75
31210	2xT8 LED 600mm Double end VG	295x595x80	20,35
23741	2xT8 LED 1200mm Double end VG	295x1195x80	27,75
10024	4xT8 LED 600mm Double end OM	610x610x75	27,75
31227	2xT8 LED 600mm Double end OM	310x610x75	20,35
13506	2xT8 LED 1200mm Double end OM	310x1220x75	27,75

Note: LED Tubes are not include in price.
VG - recessed mounting; OM - surface mounting

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

E Plus Super Pro SMD

130 Lm/W







BRIDGELUX

Light TOP QUALITY PRODUCTS BY 2R

TOP QUALITY PRODUCTS 2R WARRANTY


WARRANTY 5 YEARS

Classification


50000hr | A++ | IP65 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type PC/PC

BOX 1 pcs

Photometric Data



Dimensions



Dimming Option 0-10V

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
83431	E Plus Super Pro SMD	20W	2600	4000K	600x104x80	41,53
83455	E Plus Super Pro SMD	20W	2600	6000K	600x104x80	41,53
83479	E Plus Super Pro SMD	40W	5200	4000K	1200x104x80	48,01
83493	E Plus Super Pro SMD	40W	5200	6000K	1200x104x80	48,01
83516	E Plus Super Pro SMD	60W	7800	4000K	1500x104x80	63,27
83530	E Plus Super Pro SMD	60W	7800	6000K	1500x104x80	63,27
83554	E Plus Super Pro SMD	75W	9750	4000K	1500x104x80	76,31
83578	E Plus Super Pro SMD	75W	9750	6000K	1500x104x80	76,31
86876	LED Emergency unit					25,90





BRIDGELUX

E Plus Pro SMD
120 Lm/W



WARRANTY 3 YEARS


Classification

50000hrs | A++ | IP65 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type PC/PC


BOX 20/40/50W 8 pcs

BOX 60/75W 6 pcs

Dimensions



Photometric Data



SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
04405	E Plus Pro SMD	20W	2400	4000K	600x104x80	30,06
04412	E Plus Pro SMD	20W	2400	6000K	600x104x80	30,06
04245	E Plus Pro SMD	40W	4800	4000K	1200x104x80	40,24
04252	E Plus Pro SMD	40W	4800	6000K	1200x104x80	40,24
04320	E Plus Pro SMD	60W	7200	4000K	1500x104x80	55,50
04337	E Plus Pro SMD	60W	7200	6000K	1500x104x80	55,50
86876	LED Emergency unit					25,90

E Plus Pro Waterproof Batten for Single End IP 65



WARRANTY 2 YEARS

Note: SE - Single End.
LED Tubes are NOT included in the price.
The Watterproof lightnig fixture made for SE T8 LED Tubes.

SKU	Model	pcs in Box	AxBxC mm	Τιμή (€)
24229	E Plus Pro 1xL600 LED Tube T8 SE	10	660 x 80 x 90	8,28
24267	E Plus Pro 2xL600 LED Tube T8 SE	6	660 x 133 x 90	10,78
24199	E Plus Pro 1xL1200 LED Tube T8 SE	8	1270 x 85 x 95	13,41
24236	E Plus Pro 2xL1200 LED Tube T8 SE	6	1270 x 135 x 95	15,26
24205	E Plus Pro 1xL1500 LED Tube T8 SE	8	1570 x 110 x 100	16,65
24243	E Plus Pro 2xL1500 LED Tube T8 SE	4	1570 x 160 x 100	19,56


Connection method
Single End



Classification



Dimensions



E Plus Pro Waterproof Batten for Double End IP 65



WARRANTY 2 YEARS


Note: SE - Single End.
LED Tubes are NOT included in the price.
The Watterproof lightnig fixture made for SE T8 LED Tubes.

SKU	Model	pcs in Box	AxBxC mm	Τιμή (€)
12806	E Plus Pro 1xL600 LED Tube T8 DE	10	660 x 80 x 90	8,28
12707	E Plus Pro 2xL600 LED Tube T8 DE	6	660 x 133 x 90	10,78
12721	E Plus Pro 1xL1200 LED Tube T8 DE	8	1270 x 85 x 95	13,41
12745	E Plus Pro 2xL1200 LED Tube T8 DE	6	1270 x 135 x 95	15,26
12783	E Plus Pro 1xL1500 LED Tube T8 DE	8	1570 x 110 x 100	16,65
12769	E Plus Pro 2xL1500 LED Tube T8 DE	4	1570 x 160 x 100	19,56


Connection method
Double End



Classification




Dimensions







LED Light SONATA 40W




Classification

50000hrs | A+ | IP20 | Beam Angle 110° | CRI 80 | PF >0.9 | Voltage AC230V | Body Type Alum+PC

BOX 10 pcs

Dimensions




WARRANTY 5 YEARS

Dimming Function


TRIAC option
0-10V option

Photometric Data



SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
36529	LED Light SONATA silver	40W	4300	3000K	1217 x 64 x 75	55,50
15241	LED Light SONATA silver	40W	4300	4000K	1217 x 64 x 75	55,50
85183	LED Light SONATA black	40W	4300	3000K	1217 x 64 x 75	55,50
85176	LED Light SONATA black	40W	4300	4000K	1217 x 64 x 75	55,50
24328	Metal connector for Sonata 180°					7,40





LED Linear Light NAVI 6623




Classification

50000hrs | A+ | IP54 | Beam Angle 120° | CRI 80 | PF >0.9 | Voltage AC230V | Body Type PC/PC


BOX 1 pcs

Dimensions



WARRANTY 2 YEARS

Photometric Data




SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
21266	LED Linear Light Navi 6623	60W	6600	4000K	1230 x 130 x 70	69,38
21273	LED Linear Light Navi 6623	60W	6600	6000K	1230 x 130 x 70	69,38
21242	LED Linear Light Navi 6623	120W	13000	4000K	2430 x 160 x 70	127,65
21259	LED Linear Light Navi 6623	120W	13000	6000K	2430 x 160 x 70	127,65
24335	Hanging set					4,53

LED Linear Light
NAVI 6620



Photometric Data



WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
21204	LED Linear Light Navi 6620	40W	4400	4000K	1230x130x70	48,56
21211	LED Linear Light Navi 6620	40W	4400	6000K	1230x130x70	48,56
21228	LED Linear Light Navi 6620	80W	8800	4000K	2430x160x70	90,00
21235	LED Linear Light Navi 6620	80W	8800	6000K	2430x160x70	90,00
24335	Hanging set					4,53






Classification

30000hr | A+ | IP54 | Beam Angle 120° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type Alum+PC

BOX 1 pcs


Dimensions



LED Linear Light
NAVI 6618




Photometric Data



WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
21167	LED Linear Light Navi 6618	40W	6600	4000K	1230x130x70	58,92
21174	LED Linear Light Navi 6618	40W	6600	6000K	1230x130x70	58,92
21181	LED Linear Light Navi 6618	80W	8800	4000K	2430x160x70	99,72
21198	LED Linear Light Navi 6618	80W	8800	6000K	2430x160x70	99,72
60531	Clips set					4,63







Classification


30000hr | A+ | IP54 | Beam Angle 120° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type Alum+PC


BOX 1 pcs

Dimensions









LED PAM Trunk
150 Lm/W



WARRANTY 5 YEARS

7 Core system.
Standart and dimming function or standart and emergency function

We can run.
Maximum 80 meters of continued luminaire under 230V AC
with 60W 1424mm luminaires each.
Maximum 65 meters of continued luminaire under 230V AC
with 80W 1424mm luminaires each.

1 pcs MASTER INCLUDED: body, caps, 2 pcs pendel, conectors
1 pcs FOLLOW INCLUDED: body, 2 pcs pendel


Beam angle

Dimming Function




option - DALI
option - 1-10V

Classification



Dimensions





The DALI or 0-10V dimming - Ask for offer

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
15289	LED PAM Trunk MASTER	60W	9000	4000K	1424x68x42.5	200,54
15326	LED PAM Trunk FOLLOW	60W	9000	4000K	1424x68x42.5	191,94
15302	LED PAM Trunk MASTER	80W	12000	4000K	1424x68x42.5	227,27
15340	LED PAM Trunk FOLLOW	80W	12000	4000K	1424x68x42.5	217,93
15401	LED PAM Trunk L node					48,75
15425	LED PAM Trunk T node					75,67

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Batten GALY SLIM
IP44





WARRANTY 2 YEARS


SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
34808	LED Batten GALY SLIM L600	18W	1800	4500K	605x75x25	8,46
35003	LED Batten GALY SLIM L1200	36W	3600	4500K	1215x75x25	13,27

Classification

30000hrs | A+ | IP44 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type Alum+PS


BOX 20 pcs

Dimensions



LED Batten TYRE FSL
IP21





WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
29019	LED Batten TYRE FSL L600	9W	900	4000K	620x30x40	4,72
28999	LED Batten TYRE FSL L1200	18W	1800	4000K	1230x30x40	6,29
29002	LED Batten TYRE FSL L1500	26W	2600	4000K	1530x30x40	9,44

Connection method
Double End




Classification

30000hrs | A+ | IP21 | Beam Angle 270° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type Alum+PS

BOX 20 pcs

Dimensions




Classification

IP21 Voltage AC230V Body Type Metal

BOX 1xL-18pcs BOX 2xL-9pcs

Dimensions



LED Batten Tyre Classic
for LED Tube T8
IP21



WARRANTY 2 YEARS

Note: SE - Single End; DE - Double End
LED Tubes are NOT included in the price
Lighting fixture made for T8 LED Tubes


SKU	Model	AxBxC mm	Τιμή (€)
31234	Tyre Classic 1xL1200 T8 LED Tube SE	1230x50x65	4,72
85978	Tyre Classic 2xL1200 T8 LED Tube SE	1230x100x65	5,18
85992	Tyre Classic 1xL1500 T8 LED Tube SE	1530x50x65	6,98
86012	Tyre Classic 2xL1500 T8 LED Tube SE	1530x100x65	7,54
85961	Tyre Classic 1xL1200 T8 LED Tube DE	1230x50x65	7,77
85985	Tyre Classic 2xL1200 T8 LED Tube DE	1230x100x65	8,42
86005	Tyre Classic 1xL1500 T8 LED Tube DE	1530x50x65	10,04
86029	Tyre Classic 2xL1500 T8 LED Tube DE	1530x100x65	10,68

Classification

IP21 Voltage AC230V Body Type Metal

BOX 20pcs

Dimensions



LED Batten Tyre S
for LED Tube T8
IP21



WARRANTY 2 YEARS

Note: SE - Single End; DE - Double End
LED Tubes are NOT included in the price
Lighting fixture made for T8 LED Tubes

SKU	Model	AxBxC mm	Τιμή (€)
86036	Tyre S 1xL1200 T8 LED Tube SE	1230x115x70	6,15
86050	Tyre S 2xL1200 T8 LED Tube SE	1230x150x70	8,19
86074	Tyre S 1xL1500 T8 LED Tube SE	1530x100x70	12,26
86098	Tyre S 2xL1500 T8 LED Tube SE	1530x160x70	15,12
86043	Tyre S 1xL1200 T8 LED Tube DE	1230x115x70	9,20
86067	Tyre S 2xL1200 T8 LED Tube DE	1230x150x70	11,33
86081	Tyre S 1xL1500 T8 LED Tube DE	1530x100x70	15,22
86104	Tyre S 2xL1500 T8 LED Tube DE	1530x160x70	18,13

LED Downlight WAVE

3-white



3in1

Three light color choice.
One downlignt.





Classification

30000hrs | A+ | IP44 | Beam Angle 90° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type PC


Circular monting hole


Kelvin 3000K 4000K 6000K

BOX 7W 60pcs | BOX 10/14/17W 40 pcs | BOX 25W 20pcs


WARRANTY 3 YEARS

Photometric Data





Dimensions



SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm	Τιμή (€)
11441	LED Downlight WAVE R70	7W	660/700/700	68-80	95 x 58	8,28
11465	LED Downlight WAVE R92	10W	950/1000/1000	90-102	113 x 59	8,79
11489	LED Downlight WAVE R130	14W	1330/1400/1400	120-130	145 x 66	13,09
11502	LED Downlight WAVE R150	17W	1600/1700/1700	145-155	174 x 69	14,43
11526	LED Downlight WAVE R205	25W	2400/2500/2500	195-210	244 x 85	20,81

Dimming Function

TRIAC

Dimmable

SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm	Τιμή (€)
36611	LED Downlight WAVE R70 DIMM	7W	660/700/700	68-80	95 x 58	9,62
36635	LED Downlight WAVE R92 DIMM	10W	950/1000/1000	90-102	113 x 59	11,01
36482	LED Downlight WAVE R150 DIMM	17W	1600/1700/1700	145-155	174 x 69	15,63
36505	LED Downlight WAVE R205 DIMM	25W	2400/2500/2500	195-210	244 x 85	23,87

Cover INOX for WAVE



SKU	Model	Dimensions	Τιμή (€)
23383	Cover INOX for WAVE R92 10W	Ø 113	1,39
23369	Cover INOX for WAVE R150 17W	Ø 174	2,22
23376	Cover INOX for WAVE R205 25W	Ø 244	3,10






LED Downlight CYCLONE
3-white



Classification

50000 hrs | A+ | IP44 | Beam Angle 90° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type Alum | Kelvin 3000K 4000K 6000K | Circular monting hole | BOX 10 pcs

Dimensions




Dimming Function


TRIAC
0-10V option

WARRANTY 5 YEARS

3in1
Three light color choice.
One downlignt.

Photometric Data





SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm	Τιμή (€)
11540	LED Downlight CYCLONE R168	20W	1600/1800/1800	168-178	200 x 68	26,73
11564	LED Downlight CYCLONE R192	30W	2700/3000/3000	192-210	230 x 75	30,90
11588	LED Downlight CYCLONE R240	40W	3600/3900/3900	240-255	279 x 94	39,64

Dimmable

SKU	Model	EQ. Watts	Dimmable	Cut out mm	A x B mm	Τιμή (€)
15814	LED Downlight CYCLONE R168 DIMM	20W	TRIAC	168-178	200 x 68	34,69
15852	LED Downlight CYCLONE R192 DIMM	30W	TRIAC	192-210	230 x 75	42,41


LED Panel CAPRI R
Back Light








h45mm - 6W, 12W, 18W




h25mm - 3W, 24W, 30W

WARRANTY 3 YEARS


Classification




Photometric Data



Dimensions




SKU	Model	EQ. Watts	Lumens	Kelvin	Cut out mm	A x B mm	Τιμή (€)
13001	LED Panel CAPRI R95	3W	300	3000K	Ø 85	Ø 95x25	5,09
04023	LED Panel CAPRI R95	3W	300	4500K	Ø 85	Ø 95x25	5,09
09349	LED Panel CAPRI R95	3W	300	6000K	Ø 85	Ø 95x25	5,09
13025	LED Panel CAPRI R110	6W	600	3000K	Ø 98	Ø 110x45	5,27
01916	LED Panel CAPRI R110	6W	600	4500K	Ø 98	Ø 110x45	5,27
09363	LED Panel CAPRI R110	6W	600	6000K	Ø 98	Ø 110x45	5,27
13049	LED Panel CAPRI R150	12W	1200	3000K	Ø 138	Ø 150x45	7,68
09387	LED Panel CAPRI R150	12W	1200	4500K	Ø 138	Ø 150x45	7,68
09400	LED Panel CAPRI R150	12W	1200	6000K	Ø 138	Ø 150x45	7,68
13063	LED Panel CAPRI R180	18W	1800	3000K	Ø 160	Ø 175x45	10,36
09424	LED Panel CAPRI R180	18W	1800	4500K	Ø 160	Ø 175x45	10,36
09448	LED Panel CAPRI R180	18W	1800	6000K	Ø 160	Ø 175x45	10,36
13087	LED Panel CAPRI R180	24W	2400	3000K	Ø 160	Ø 175x25	17,53
09462	LED Panel CAPRI R180	24W	2400	4500K	Ø 160	Ø 175x25	17,53
09486	LED Panel CAPRI R180	24W	2400	6000K	Ø 160	Ø 175x25	17,53
14657	LED Panel CAPRI R225	30W	3000	3000K	Ø 205	Ø 225x25	26,46
09509	LED Panel CAPRI R225	30W	3000	4500K	Ø 205	Ø 225x25	26,46
23499	LED Panel CAPRI R225	30W	3000	6000K	Ø 205	Ø 225x25	26,46






h45mm - 6W, 12W, 18W




h25mm - 3W, 24W, 30W

Classification



Dimensions




LED Panel CAPRI S
Back Light



WARRANTY 3 YEARS

Photometric Data



SKU	Model	EQ. Watts	Lumens	Kelvin	Cut out mm	AxBxC mm	Τιμή (€)
23635	LED Panel CAPRI S95	3W	240	3000K	73x73	80x80x25	5,09
01954	LED Panel CAPRI S95	3W	240	4500K	73x73	80x80x25	5,09
23642	LED Panel CAPRI S95	3W	240	6000K	73x73	80x80x25	5,09
13100	LED Panel CAPRI S110	6W	600	3000K	95x95	110x110x45	5,27
01978	LED Panel CAPRI S110	6W	600	4500K	95x95	110x110x45	5,27
09523	LED Panel CAPRI S110	6W	600	6000K	95x95	110x110x45	5,27
13124	LED Panel CAPRI S150	12W	1200	3000K	135x135	150x150x45	7,68
09547	LED Panel CAPRI S150	12W	1200	4500K	135x135	150x150x45	7,68
09561	LED Panel CAPRI S150	12W	1200	6000K	135x135	150x150x45	7,68
13148	LED Panel CAPRI S180	18W	1800	3000K	160x160	175x175x45	10,36
09585	LED Panel CAPRI S180	18W	1800	4500K	160x160	175x175x45	10,36
09608	LED Panel CAPRI S180	18W	1800	6000K	160x160	175x175x45	10,36
13162	LED Panel CAPRI S180	24W	2400	3000K	160x160	175x175x25	17,53
03712	LED Panel CAPRI S180	24W	2400	4500K	160x160	175x175x25	17,53
09622	LED Panel CAPRI S180	24W	2400	6000K	160x160	175x175x25	17,53
14695	LED Panel CAPRI S225	30W	3000	3000K	205x205	225x225x25	26,46
12387	LED Panel CAPRI S225	30W	3000	4500K	205x205	225x225x25	26,46
14718	LED Panel CAPRI S225	30W	3000	6000K	205x205	225x225x25	26,46

LED Downlights CAPRI Glass R
Back Light







Classification

50000hrs | A+ | IP44 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type AL+Glass | BOX 20 pcs | Circular monting hole | Kelvin 4500K

Dimensions



Photometric Data



WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm	Τιμή (€)
09707	LED Downlight CAPRI Glass R	6W	600	Ø 96	Ø 130 x 32	8,46
22539	LED Downlight CAPRI Glass R	12W	1200	Ø 136	Ø 165 x 50	10,22
22546	LED Downlight CAPRI Glass R	18W	1800	Ø 157	Ø 185 x 50	12,53

LED Downlights CAPRI Glass S
Back Light







Classification

50000hrs | A+ | IP44 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type AL+Glass | BOX 20 pcs | Rectangular monting hole | Kelvin 4500K

Dimensions



Photometric Data




WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
09721	LED Downlight CAPRI Glass S	6W	600	95 x 95	130x130x32	8,46
09745	LED Downlight CAPRI Glass S	12W	1200	135 x 135	165x165x50	10,22
09769	LED Downlight CAPRI Glass S	18W	1800	160 x 160	190x190x50	12,53

Classification

25000hrs | A+ | IP20 | Beam Angle 110° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type AL/PC | Circular monting hole | BOX 3/6W 40pcs | BOX 12/18W 30pcs | Kelvin 3000K 4000K


Dimensions



LED Panel FSL 1106 R
Side Light



Photometric Data




WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm	Τιμή (€)
22980	LED Panel FSL 1106 R 3W	3W	170	Ø 75	Ø 84 x 30	4,02
22973	LED Panel FSL 1106 R 3W	3W	170	Ø 75	Ø 84 x 30	4,02
22997	LED Panel FSL 1106 R 6W	6W	420	Ø 110	Ø 119 x 11	4,16
22928	LED Panel FSL 1106 R 6W	6W	420	Ø 110	Ø 119 x 11	4,16
22942	LED Panel FSL 1106 R 12W	12W	850	Ø 160	Ø 173 x 11	6,38
22935	LED Panel FSL 1106 R 12W	12W	850	Ø 160	Ø 173 x 11	6,38
22966	LED Panel FSL 1106 R 18W	18W	1400	Ø 215	Ø 223 x 11	7,77
22959	LED Panel FSL 1106 R 18W	18W	1400	Ø 215	Ø 223 x 11	7,77

Classification

25000hrs | A+ | IP20 | Beam Angle 110° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type AL/PC | Rectangular monting hole | BOX 3/6W 40pcs | BOX 12/18W 30pcs | Kelvin 3000K 4000K


Dimensions



LED Panel FSL 1106 S
Side Light



Photometric Data




WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
23055	LED Panel FSL 1106 S 3W	3W	170	75x75	85x85x30	4,39
23048	LED Panel FSL 1106 S 3W	3W	170	75x75	85x85x30	4,39
23079	LED Panel FSL 1106 S 6W	6W	420	110x110	120x120x11	4,95
23062	LED Panel FSL 1106 S 6W	6W	420	110x110	120x120x11	4,95
23017	LED Panel FSL 1106 S 12W	12W	850	160x160	172x172x11	7,12
23000	LED Panel FSL 1106 S 12W	12W	850	160x160	172x172x11	7,12
23031	LED Panel FSL 1106 S 18W	18W	1400	210x210	225x225x11	8,70
23024	LED Panel FSL 1106 S 18W	18W	1400	210x210	225x225x11	8,70

LED Panel Multi
Side Light






Classification

30000hrs | A+ | IP21 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type AL/PC | Kelvin 4000K | Circular monting hole

BOX 6/8W 100pcs | BOX 15W 40pcs | BOX 20W 20pcs

Dimensions



WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	A x B mm	Τιμή (€)
12554	LED Panel Multi 6W	6W	570	50-100	Ø 100x20	4,21
12578	LED Panel Multi 8W	8W	760	50-100	Ø 115x20	4,81
12592	LED Panel Multi 15W	15W	1425	50-160	Ø 175x20	7,77
12615	LED Panel Multi 20W	20W	1900	50-200	Ø 230x20	9,11

LED Downlights HILUX FTS



HILUX FTS 5W Wh R




HILUX FTS 5W Wh S



Classification

50000hrs | A+ | IP21 | Beam Angle 60° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type AL/PC | BOX 60 pcs | Kelvin 4500K | Circular monting hole

Dimensions




WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
23178	LED Downlights HILUX FTS R	5W	500	Ø 75	Ø 85x55	9,57
23192	LED Downlights HILUX FTS S	5W	500	Ø 75	92x92x55	11,47

Classification

30000hrs | A+ | IP20 | Beam Angle 30° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type AL/PC | Kelvin 4000K | Circular monting hole | BOX 200 pcs

Dimensions



LED Downlight ANGEL EYE NY



NY R03 white



NY R03 black


WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
87026	ANGEL EYE NY R03 black	3W	270	Ø 28	Ø 35x25	4,72
78963	ANGEL EYE NY R03 white	3W	270	Ø 28	Ø 35x25	4,72
87033	ANGEL EYE NY S04 black	3W	270	Ø 28	35x35x25	4,72
78970	ANGEL EYE NY S04 white	3W	270	Ø 28	35x35x25	4,72

Classification

30000hrs | A+ | IP20 | Beam Angle 30° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type AL/PC | Kelvin 4000K | Circular monting hole | BOX 200 pcs

Dimensions



LED Downlight ANGEL EYE R/S

WARRANTY 2 YEARS



R03 black




S04 black

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
14596	ANGEL EYE R03 black	3W	270	Ø 50	Ø 55x27	8,42
14572	ANGEL EYE R03 white	3W	270	Ø 50	Ø 55x27	8,42
14633	ANGEL EYE S04 black	3W	270	Ø 50	55x55x27	8,42
14619	ANGEL EYE S04 white	3W	270	Ø 50	55x55x27	8,42

Classification

20000hrs | A+ | IP20 | Beam Angle 100° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type AL/PC | Kelvin 4000K | Circular monting hole | BOX 100 pcs

Dimensions



LED Downlight ANGEL EYE SP




WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
07093	ANGEL EYE SP03 3W	3W	270	Ø 36	46x46x28	4,26


LED Downlight FSL Delux
Back Light
Surface Mounting



Classification



Dimensions




SKU	Model	EQ. Watts	Lumens	Kelvin	A x B mm	Τιμή (€)
87040	LED Downlight FSL R206 12W OM	12W	900	3000K	Ø 121x57	8,88
22867	LED Downlight FSL R206 12W OM	12W	900	4000K	Ø 121x57	8,88
87057	LED Downlight FSL R206 18W OM	18W	1350	3000K	Ø 181x57	14,25
22874	LED Downlight FSL R206 18W OM	18W	1350	4000K	Ø 181x57	14,25
87064	LED Downlight FSL R206 24W OM	24W	1800	3000K	Ø 221x57	18,32
22881	LED Downlight FSL R206 24W OM	24W	1800	4000K	Ø 221x57	18,32

LED Downlight FSL Delux
Back Light
Surface Mounting






Classification



Dimensions




SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
87071	LED Downlight FSL S106 12W OM	12W	900	3000K	122x122x57	9,81
22898	LED Downlight FSL S106 12W OM	12W	900	4000K	122x122x57	9,81
87088	LED Downlight FSL S106 18W OM	18W	1350	3000K	182x182x57	15,54
22904	LED Downlight FSL S106 18W OM	18W	1350	4000K	182x182x57	15,54
87095	LED Downlight FSL S106 24W OM	24W	1800	3000K	222x222x57	20,44
22911	LED Downlight FSL S106 24W OM	24W	1800	4000K	222x222x57	20,44

Classification

50000hrs | A+ | IP44 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type PC | Kelvin 3000K 4500K | BOX 20W 40pcs | BOX 30W 20pcs | Flicker-Free

Dimensions



LED Downlight CAPRI OM
Back Light
Surface Mounting




WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	A x B mm	Τιμή (€)
87101	LED Downlight CAPRI R225 20W OM	20W	2400	3000K	Ø 225x35	16,47
10932	LED Downlight CAPRI R225 20W OM	20W	2400	4500K	Ø 225x35	16,47
87118	LED Downlight CAPRI R300 30W OM	30W	3000	3000K	Ø 300x45	24,51
09646	LED Downlight CAPRI R300 30W OM	30W	3000	4500K	Ø 300x45	24,51

Classification

50000hrs | A+ | IP44 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type PC | Kelvin 3000K 4500K | BOX 20W 40pcs | BOX 30W 20pcs | Flicker-Free

Dimensions



LED Downlight CAPRI OM
Back Light
Surface Mounting



WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
87125	LED Downlight CAPRI S180 20W OM	20W	2400	3000K	225x225x35	18,41
09660	LED Downlight CAPRI S180 20W OM	20W	2400	4500K	225x225x35	18,41
87132	LED Downlight CAPRI S300 30W OM	30W	3000	3000K	300x300x45	27,94
09684	LED Downlight CAPRI S300 30W OM	30W	3000	4500K	300x300x45	27,94

LED Downlight R1605 OM
Surface Mounting




WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Ø x B mm	Τιμή (€)
37311	LED Downlight R1605 7W white	7W	700	Ø 80 x 55	13,32
37328	LED Downlight R1605 7W black	7W	700	Ø 80 x 55	13,32
37373	LED Downlight R1605 12W white	12W	1200	Ø 97 x 70	16,56
37359	LED Downlight R1605 12W black	12W	1200	Ø 97 x 70	16,56

Classification

50000hrs | A+ | IP44 | Beam Angle 60° | CRI >80 | PF >0.9 | Voltage AC230V | Body Type Alum | BOX 7W 50pcs | BOX 12W 30pcs | Kelvin 4000K | Flicker-Free

Dimensions



LED Downlight S1605 OM
Surface Mounting




WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	AxBxC mm	Τιμή (€)
37335	LED Downlight S1605 7W white	7W	700	80x80x58	14,34
37342	LED Downlight S1605 7W black	7W	700	80x80x58	14,34
37380	LED Downlight S1605 12W white	12W	1200	97x97x70	17,48
37366	LED Downlight S1605 12W black	12W	1200	97x97x70	17,48

Classification

50000hrs | A+ | IP44 | Beam Angle 60° | CRI >80 | PF >0.9 | Voltage AC230V | Body Type Alum | BOX 7W 50pcs | BOX 12W 30pcs | Kelvin 4000K | Flicker-Free


Dimensions



Classification

30000hrs | A+ | IP20 | IP65 | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC | Beam Angle 50° | Rectangular monting hole | Kelvin 4000K | BOX 50 pcs

Dimensions




LED Stair Light
Surface Mounting

WARRANTY 2 YEARS



LED Stair Light IP20




LED Stair Light IP65

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
14534	LED Stair Light IP20 white	2W	160	86 x 86	90x90x43	11,05
14558	LED Stair Light IP65 black	2W	160	74 x 74	85x85x453	11,05

Classification

30000hrs | A+ | IP65 | Beam Angle 24° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum+PC | Kelvin 4000K | Rectangular monting hole | Flicker-Free | BOX 100 pcs

Dimensions



LED Stair Light
Surface Mounting

WARRANTY 2 YEARS



LED Stair Light 08



LED Stair Light 09



LED Stair Light 06




LED Stair Light 04

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
37274	LED Stair Light 08 3W	3W	300		60x60x53,5	10,64
37281	LED Stair Light 09 3W	3W	300		60x60x53,5	10,64
37298	LED Stair Light 06 3W	3W	300		60x60x53,5	10,64
37304	LED Stair Light 04 3W	3W	300		Ø 60 x 58,5	10,64

Classification

30000hrs | A+ | IP65 | Beam Angle 100° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type AL+Glass | Rectangular monting hole | Kelvin 4000K | BOX 50 pcs

Dimensions



LED Stair Light QJ
Surface Mounting



WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	Cut out mm	AxBxC mm	Τιμή (€)
07086	LED Stair Light QJ IP65	3W	240	100 x 38	110x45x45	7,03

LED Floodlights DECO Black
10-50W










TOSHIBA
Leading Innovation
LED chips inside

Photometric Data



WARRANTY 3 YEARS


SKU	Model	EQ. Watts	Lumens	Kelvin	AxB mm	Τιμή (€)
05570	LED Floodlight DECO 10W	10W	1100	2700K	110x90	5,50
05587	LED Floodlight DECO 10W	10W	1100	6000K	110x90	5,50
05617	LED Floodlight DECO 20W	20W	2200	2700K	140x120	8,14
05624	LED Floodlight DECO 20W	20W	2200	6000K	140x120	8,14
05655	LED Floodlight DECO 30W	30W	3300	2700K	170x150	12,49
82847	LED Floodlight DECO 30W	30W	3300	4000K	170x150	12,49
05662	LED Floodlight DECO 30W	30W	3300	6000K	170x150	12,49
05693	LED Floodlight DECO 50W	50W	5500	2700K	210x180	18,32
82861	LED Floodlight DECO 50W	50W	5500	4000K	210x180	18,32
05709	LED Floodlight DECO 50W	50W	5500	6000K	210x180	18,32

Classification

50000hrs | A+ | IP65 | Beam Angle 120° | CRI >80 | PF >0.9 | Voltage AC230V | Body Type AL/Glass

BOX 10/20W 24pcs
BOX 30/50W 20pcs

Dimensions



LED Floodlights DECO Black 10-30W GREEN

SKU	Model	EQ. Watts	Lumens	Kelvin	AxB mm	Τιμή (€)
11601	LED Floodlight DECO 10W	10W		GREEN	110x90	6,43
11625	LED Floodlight DECO 20W	20W		GREEN	140x120	10,55
11649	LED Floodlight DECO 30W	30W		GREEN	170x150	16,19

TOSHIBA
Leading Innovation
LED chips inside


LED Floodlights DECO White
10-50W



Classification

50000 hrs | A+ | IP65 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type AL/PC | Kelvin 6000K | BOX 10/20W 24pcs | BOX 30/50W 20pcs

Dimensions



Photometric Data

WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxB mm	Τιμή (€)
05747	LED Floodlight DECO 10W	10W	1100	6000K	110x90	5,50
05785	LED Floodlight DECO 20W	20W	2200	6000K	140x120	8,14
05822	LED Floodlight DECO 30W	30W	3300	6000K	170x150	12,49
05860	LED Floodlight DECO 50W	50W	5500	6000K	210x180	18,32

TOSHIBA
Leading Innovation
LED chips inside


LED Floodlights DECO
Sensor




Classification

50000hrs | A+ | IP65 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type AL/PC | Sensor Range max 12m | Kelvin 6000K | BOX 10/20W 24pcs | BOX 30W 20pcs

Dimensions



Photometric Data



WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxB mm	Τιμή (€)
06232	DECO Sensor 10W IP65	10W	1100	6000K	110x170	12,90
06256	DECO Sensor 20W IP65	20W	2200	6000K	140x200	17,48
06270	DECO Sensor 30W IP65	30W	3300	6000K	170x150	23,96

LED Floodlights DECO
80-400W







TOSHIBA
Leading Innovation
LED chips inside

WARRANTY 3 YEARS


Classification

50000hrs | A+ | IP65 | Beam Angle 120° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type AL/Glass | Kelvin 6000K


BOX 80/100W 10 pcs

BOX 150/200/300W 5 pcs

Dimensions



Photometric Data




SKU	Model	EQ. Watts	Lumens	AxB mm	Τιμή (€)
11250	LED Floodlight DECO 80W	80W	8000	280 x 250	27,75
11298	LED Floodlight DECO 100W	100W	10000	280 x 250	39,31
11335	LED Floodlight DECO 150W	150W	15000	350 x 310	60,59
11373	LED Floodlight DECO 200W	200W	20000	350 x 340	75,85
84414	LED Floodlight DECO 300W	300W	30000	460 x 340	127,56
13728	LED Floodlight DECO 400W	400W	40000	500 x 380	

PHILIPS
LED chips

Classification

50000hrs | A+ | IP65 | Kelvin 5000K | CRI ³80 | PF >0.98 | Beam Angle 25° | Beam Angle 60° | Voltage AC230V | Body Type Metal Galvanizet, Powder coated | BOX 1 pcs

Dimensions




LED Floodlights SPORT
150-300W
120 Lm/W



WARRANTY 5 YEARS

Photometric Data



SKU	Model	EQ. Watts	Lumens	AxBxC mm	Τιμή (€)
84667	LED Floodlight SPORT 150W 25°	150W	18000	357x361x65	263,63
84650	LED Floodlight SPORT 150W 60°	150W	18000	357x361x65	263,63
74897	LED Floodlight SPORT 200W 25°	200W	24000	357x445x65	305,25
74880	LED Floodlight SPORT 200W 60°	200W	24000	357x445x65	305,25
84674	LED Floodlight SPORT 250W 25°	250W	30000	357x530x65	346,88
84681	LED Floodlight SPORT 250W 60°	250W	30000	357x530x65	346,88
84698	LED Floodlight SPORT 300W 25°	300W	36000	357x597x65	397,75
84704	LED Floodlight SPORT 300W 60°	300W	36000	357x597x65	397,75

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED High Bay OLIMPIA

140Lm/W

IP66







Light TOP QUALITY PRODUCTS BY 2R


TOP QUALITY PRODUCTS 2R WARRANTY

WARRANTY 7 YEARS


Classification

80000hrs | A++ | IP66 | Beam Angle 120° | CRI 80 | PF >0.9 | Voltage AC230V | Body Type AL+Glass | BOX 1 pcs | Kelvin 5000K

Dimensions



Photometric Data



Dimming Function



0-10V
option - DALI

SKU	Model	EQ. Watts	Lumens	A x B mm	Τιμή (€)
36574	LED High Bay OLIMPIA 100W	100W	14000	Ø 350 x 150	171,13
36581	LED High Bay OLIMPIA 150W	150W	21000	Ø 350 x 150	217,38
36598	LED High Bay OLIMPIA 200W	200W	28000	Ø 450 x 180	254,38





LED High Bay UFO Orange

120Lm/W

IP66




Classification

50000hrs | A+ | IP66 | Beam Angle 120° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type AL+Glass | Kelvin 5000K | BOX 1 pcs

WARRANTY 3 YEARS


Dimensions



Emergency Function

Option

Photometric Data



SKU	Model	EQ. Watts	Lumens	A x B mm	Τιμή (€)
26537	LED High Bay UFO Orange 60W	60W	7200	Ø 350 x 70	100,83
26506	LED High Bay UFO Orange 100W	100W	12000	Ø 350 x 70	111,00
26513	LED High Bay UFO Orange 150W	150W	18000	Ø 450 x 80	143,38
26520	LED High Bay UFO Orange 200W	200W	24000	Ø 450 x 80	161,88

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Street Light Granada PRO

140 Lm/W






Classification

100000hrs | A++ | IP66 | Beam Angle 145°/60° | CRI ≥80 | PF >0.98 | Voltage AC230V | Body Type ALUM | BOX 1 pcs | Kelvin 5000K

Dimensions




Dimming Function



0-10V

Photometric Data




SKU	Model	EQ. Watts	Lumens	A x B x C mm	Τιμή (€)
27015	Solar Granada PRO 20W 12V	20W	2500	460 x 260 x 100	143,38
84445	Granada PRO 25W IP66	25W	3500	460 x 260 x 99	152,63
12417	Granada PRO 40W IP66	40W	5600	460 x 260 x 100	157,25
60838	Granada PRO 50W IP66	50W	7000	460 x 260 x 100	175,75
12424	Granada PRO 65W IP66	65W	9100	460 x 260 x 100	185,00
60845	Granada PRO 75W IP66	75W	10500	460 x 260 x 100	203,50
12431	Granada PRO 100W IP66	100W	14000	460 x 260 x 100	249,75
84452	Granada PRO 120W IP66	120W	16800	530 x 330 x 130	309,88
12448	Granada PRO 150W IP66	150W	21000	530 x 330 x 130	360,75
84469	Granada PRO 200W IP66	200W	28000	530 x 330 x 130	388,50
27039	Photocell sensor				

LED Street Light Granada SB 140Lm/W

Classification

50000hrs | A+ | IP66 | Beam Angle 130°/60° | CRI ≥80 | PF >0.98 | Voltage AC230V | Body Type ALUM | Kelvin 5000K | BOX 1 pcs


Dimensions





WARRANTY 5 YEARS

Photometric Data




SKU	Model	EQ. Watts	Lumens	A x B x C mm	Τιμή (€)
27152	LED Street Light Granada SB 20	20W	2800	490x260x70	69,38
27190	LED Street Light Granada SB 30	30W	4200	490x260x70	71,23
09004	LED Street Light Granada SB 40	40W	5600	490x260x70	78,63
27251	LED Street Light Granada SB 50	50W	7000	490x260x70	87,88
27282	LED Street Light Granada SB 60	60W	8400	490x260x70	106,38

LED Street Light Granada SB 140Lm/W

Classification

50000hrs | A+ | IP66 | Beam Angle 130°/60° | CRI ≥80 | PF >0.98 | Voltage AC230V | Body Type ALUM | Kelvin 5000K | BOX 1 pcs


Dimensions





WARRANTY 5 YEARS

Photometric Data




SKU	Model	EQ. Watts	Lumens	A x B x C mm	Τιμή (€)
09110	LED Street Light Granada SB 80	80W	11200	560x260x70	120,25

LED Street Light Granada SB 140Lm/W

Classification

50000hrs | A+ | IP66 | Beam Angle 130°/60° | CRI ≥80 | PF >0.98 | Voltage AC230V | Body Type ALUM | Kelvin 5000K | BOX 1 pcs


Dimensions





WARRANTY 5 YEARS

Photometric Data



Note: Street Lights Granada SB can to be produced in color temperature 3000K, 4000K or 6000K, for an extra payment.

SKU	Model	EQ. Watts	Lumens	A x B x C mm	Τιμή (€)
09028	LED Street Light Granada SB 120	120W	16800	710x260x70	134,13
27114	LED Street Light Granada SB 150	150W	21000	710x260x70	157,25

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Street Light GRANADA BASIC
120Lm/W






Classification


30000hrs | A+ | IP66 | Beam Angle 140°/60°
CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type ALUM
BOX 20W 20 pcs | BOX 40W 16 pcs | BOX 80W 10 pcs | Kelvin 5000K

Dimensions





Photometric Data



WARRANTY 3 YEARS

Note: Adapter for Granada BASIC please see page 96.

SKU	Model	EQ. Watts	Lumens	Ø mm	A x B x C mm	Τιμή (€)
16453	LED Street Light Granada BASIC	20W	2400	Ø 40	360x110x50	34,23
16460	LED Street Light Granada BASIC	40W	4800	Ø 50	410x120x50	45,33
16477	LED Street Light Granada BASIC	80W	9600	Ø 60	600x160x60	70,30


LED Street Light GRANADA MINI
110Lm/W



Classification


50000hrs | A+ | IP66 | Beam Angle 120°
CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type ALUM
BOX 1 pcs | Kelvin 3000K 5000K

Dimensions





Photometric Data




WARRANTY 3 YEARS

SKU	Model	EQ. Watts	Lumens	Kelvin	AxBxC mm	Τιμή (€)
26988	LED Street Light GRANADA MINI	12W	1320	3000K	350x100x100	27,75
26995	LED Street Light GRANADA MINI	12W	1320	5000K	350x100x100	27,75
11083	LED Street Light GRANADA MINI	24W	2640	5000K	350x100x100	38,85

BRIDGELUX


LED Street Light NOVA S PRO
120Lm/W




Classification

50000hrs | A++ | IP66 | Beam Angle 120° | CRI 80 | PF >0.98 | Voltage AC230V | Body Type PC-PC | Kelvin 5000K | BOX 1 pcs

Dimensions



Photometric Data



WARRANTY 5 YEARS

Light TOP QUALITY PRODUCTS BY 2R

TOP QUALITY PRODUCTS 2R WARRANTY

SKU	Model	EQ. Watts	Lumens	A x B x C mm	Τιμή (€)
07925	LED Street Light NOVA S PRO	30W	3600	780x170x100	55,50
07963	LED Street Light NOVA S PRO	40W	4800	780x170x100	60,13


LED Street Light Granada 2
100Lm/W




Classification

50000hrs | A+ | IP66 | Beam Angle 120° | CRI 80 | PF >0.9 | Voltage AC230V | Body Type ALUM | Kelvin 5000K | BOX 1 pcs

Dimensions



Photometric Data



WARRANTY 2 YEARS

SKU	Model	EQ. Watts	Lumens	A x B x C mm	Τιμή (€)
09035	LED Street Light Granada 2	42W	4200	380x310x80	83,25
09059	LED Street Light Granada 2	70W	7000	500x310x80	116,55
09080	LED Street Light Granada 2	112W	11200	680x310x80	171,13

Solar Light System
2R iStar Granada SB




Light
TOP QUALITY PRODUCTS BY 2R

TOP QUALITY PRODUCTS 2R WARRANTY


Classification

50000hrs | CRI ≥80 | IP66 | Beam Angle 120° | PF >0.9 | Kelvin 5000K | Body Type AL/PC

Dimensions



Photometric Data




WARRANTY 5 YEARS
5 years for the system
2 years for the battery

SKU	Model	EQ. Watts	Lumens	Solar Panel	Controler	Battery	Τιμή (€)
18327	2R iStar Granada SB	10W	1400	50Wp/12V	12V/24V 10A	AGM 33Ah	0,00
18334	2R iStar Granada SB	15W	2100	80Wp/12V	12V/24V 10A	AGM 55Ah	0,00
18341	2R iStar Granada SB	20W	2800	100Wp/12V	12V/24V 10A	AGM 75Ah	0,00
18358	2R iStar Granada SB	30W	4200	160Wp/12V	12V/24V 10A	AGM 100Ah	0,00
18365	2R iStar Granada SB	40W	5600	160Wp/12V	12V/24V 10A	AGM 120Ah	0,00

Classification

50000hrs | CRI ≥80 | IP66 | Beam Angle 120° | PF >0.9 | Kelvin 5000K | Body Type AL/PC

Solar Light System
2R iStar Granada SB
With Pole



Lighting fixture: Granada SB 10W, 15W, 20W, 30W, 40W

Solar Panel: set with aluminium frame and connectors.

Controller: 12/24V, IP68 programmable with automatic on/off, and overcharge protection for the battery.

Battery AGM technology, non serviceable

Metal Box: Waterproof metal box - Ruco IP65

Metal holders: Steel, providing optimal orientation of the panel, reliable fixing of the metal box and orientation of the lighting fixture in the right direction.

Cable Fittings: System made of high-quality cables and terminal boxes.

Spare capacity of the system - 30 hours.

SKU	Model	Τιμή (€)
18372	2R iStar Granada SB 10W with pole 4m	0,00
18389	2R iStar Granada SB 15W with pole 4m	0,00
18396	2R iStar Granada SB 20W with pole 6m	0,00
18402	2R iStar Granada SB 30W with pole 6m	0,00
18419	2R iStar Granada SB 40W with pole 6m	0,00

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Security Light KONA
IP65






Dusk to Down Photocell Function.



Horizontal level




Mounting with a 1/2" conduit at the bottom and mounting with J-box.


Classification


50000hrs | A+ | IP65 | Beam Angle 120° | CRI ³80 | PF >0.98 | Voltage 100-277V | Body Type PC | BOX 12 pcs | Kelvin 6000K

Dimensions



Photometric Data





SKU	Model	EQ. Watts	Lumens	A x B x C mm	Τιμή (€)
15661	LED Security Light KONA 402	13W	1500	140x240x90	31,91
12462	LED Security Light KONA 402	26W	3000	140x240x90	36,95

Classification

IP65 | A+ | Voltage AC230V | Body Type AL+Glass | Base GU10 | BOX 50 pcs

Wall lamp RINO
GU10
IP65

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Dimensions mm	Τιμή (€)
06409	Wall lamp RINO 104 Ø65 Single Grey	max10W	Ø 65 x160 x115	12,67
36901	Wall lamp RINO 104 Ø65 Single Black	max10W	Ø 65 x160 x115	12,67
06416	Wall lamp RINO 105 Ø65 Double Grey	max10W	Ø 65 x160 x115	14,34
36895	Wall lamp RINO 105 Ø65 Double Black	max10W	Ø 65 x160 x115	14,34

Classification

30000hrs | A+ | IP65 | Beam Angle 60° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type AL+Glass | Kelvin 4500K | BOX 10W 25pcs | BOX 12W 12pcs

LED Wall lamp BARSA
IP65

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Dimensions mm	Τιμή (€)
27688	LED Wall Lamp Barsa R 1x10W	10W	1000	Ø 90x160x150	25,90
83882	LED Wall Lamp Barsa R 2x10W	2x10W	2000	Ø 90x260x150	32,38

Classification

30000hrs | A+ | IP65 | Beam Angle 60° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type AL+Glass | Kelvin 3000K 4000K | BOX 30 pcs

LED Wall lamp POZITANO
SD039/SD040
IP44

WARRANTY 2 YEARS



POZITANO SD039



POZITANO SD040

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
83905	LED Wall Lamp POZITANO SD039 3000K	7W	700	73x100x100	17,11
83929	LED Wall Lamp POZITANO SD039 4000K	7W	700	73x100x100	17,11
83943	LED Wall Lamp POZITANO SD040 3000K	15W	1500	90x130x130	31,64
83967	LED Wall Lamp POZITANO SD040 4000K	15W	1500	90x130x130	31,64

Classification

30000hrs | A+ | IP44 | Beam Angle 60° | CRI ³80 | PF >0.9 | Voltage AC230V | Body Type AL+Glass | Kelvin 3000K 4000K | BOX 50 pcs

LED Wall lamp POZITANO R
IP44

WARRANTY 2 YEARS



SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
83820	LED Wall Lamp POZITANO R Single 3000K	3W	700	70x70x80	12,95
37229	LED Wall Lamp POZITANO R Single 4000K	3W	700	70x70x80	12,95
83844	LED Wall Lamp POZITANO R Double 3000K	2x3W	1500	70x150x80	24,05
06454	LED Wall Lamp POZITANO R Double 4000K	2x3W	1500	70x150x80	24,05

LED Wall Lamp SIERRA 003
IP44

WARRANTY 2 YEARS




SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
83738	Wall lamp SIERRA 003 3000K Black	6W	600	100x100x100	33,07
37113	Wall lamp SIERRA 003 4000K Black	6W	600	100x100x100	33,07
83752	Wall lamp SIERRA 003 3000K White	6W	600	100x100x100	33,07
37120	Wall lamp SIERRA 003 4000K White	6W	600	100x100x100	33,07

Classification
30000hrs | A+ | IP44 | Beam Angle 60° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum | BOX 20 pcs | Kelvin 3000K 4000K

LED Wall Lamp SIERRA 004
IP44

WARRANTY 2 YEARS




SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
83721	Wall lamp SIERRA 004 3000K Black	6W	600	140x100x120	35,52
06911	Wall lamp SIERRA 004 4000K Black	6W	600	140x100x120	35,52
83660	Wall lamp SIERRA 004 3000K White	6W	600	140x100x120	35,52
06928	Wall lamp SIERRA 004 4000K White	6W	600	140x100x120	35,52

Classification
30000hrs | A+ | IP44 | Beam Angle 60° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum | BOX 20 pcs | Kelvin 3000K 4000K

LED Wall lamp SIERRA 2007
IP44

WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
83981	Wall lamp SIERRA 2007A 3000K	5W	500	100x80x100	16,19
84001	Wall lamp SIERRA 2007A 4000K	5W	500	100x80x100	16,19
84025	Wall lamp SIERRA 2007B 3000K	5W	500	200x80x100	23,13
84049	Wall lamp SIERRA 2007B 4000K	5W	500	200x80x100	23,13
84063	Wall lamp SIERRA 2007C 3000K	10W	1000	370x80x100	34,69
84087	Wall lamp SIERRA 2007C 4000K	10W	1000	370x80x100	34,69
84100	Wall lamp SIERRA 2007D 3000K	15W	1500	530x80x100	47,45
84124	Wall lamp SIERRA 2007D 4000K	15W	1500	530x80x100	47,45

Classification
30000hrs | A+ | IP65 | Beam Angle 60° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum | BOX 5W A 30pcs | BOX 5W B 20pcs | BOX 10W 15pcs | BOX 15W 12pcs | Kelvin 3000K 4000K

LED Wall lamp SIERRA 2059
IP44

WARRANTY 2 YEARS



SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
84148	Wall lamp SIERRA 2059A 3000K	5W	500	180x80x55	22,66
37205	Wall lamp SIERRA 2059A 4000K	5W	500	180x80x55	22,66
84162	Wall lamp SIERRA 2059B 3000K	10W	1000	350x80x55	30,76
06478	Wall lamp SIERRA 2059B 4000K	10W	1000	350x80x55	30,76
84186	Wall lamp SIERRA 2059C 3000K	15W	1500	520x80x55	45,23
84209	Wall lamp SIERRA 2059C 4000K	15W	1500	520x80x55	45,23

Classification
30000hrs | A+ | IP44 | Beam Angle 60° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type Alum | Kelvin 3000K 4000K | BOX 5W 20pcs | BOX 10W 20pcs | BOX 15W 10pcs

Classification

30000hrs | A+ | IP44 | Beam Angle 60° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum | Kelvin 3000K 4000K | BOX 30 pcs

LED Wall Lamp
SIERRA 2052
IP44

WARRANTY 2 YEARS



SKU	Model	EQ. Watts	Lumens	Kelvin	Dimensions mm	Τιμή (€)
83868	LED Wall lamp SIERRA 2052	6W	600	3000K	100x140x100	26,18
06522	LED Wall lamp SIERRA 2052	6W	600	4000K	100x140x100	26,18

Classification

30000hrs | A+ | IP44 | Beam Angle 60° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum | Kelvin 3000K 4000K | BOX 6W 50pcs | BOX 10W 60pcs

LED Wall Lamp
SIERRA
W30/W31
IP44

WARRANTY 2 YEARS



SIERRA W30 SIERRA W31


SKU	Model	EQ. Watts	Lumens	Kelvin	Dimensions mm	Τιμή (€)
83806	LED Wall lamp SIERRA W30	6W	600	3000K	115x90x29	19,93
06393	LED Wall lamp SIERRA W30	6W	600	4000K	115x90x29	19,93
83783	LED Wall lamp SIERRA W31	10W	1000	3000K	175x90x29	25,16
06386	LED Wall lamp SIERRA W31	10W	1000	4000K	175x90x29	25,16

Classification

30000hrs | A+ | IP44 | Beam Angle 60° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type Alum | Kelvin 6000K | BOX 1/2W 100 pcs | BOX 6W 10pcs

LED Wall lamp
SIRIUS
IP44

WARRANTY 2 YEARS



SIRIUS 2x3W SIRIUS 2x1W SIRIUS 1W

SKU	Model	EQ.Watts	Lumens	Kelvin	Dimensions mm	Τιμή (€)
08373	LED Wall Lamp SIRIUS 1W	1W	100	6000K	40x80x45	16,60
08397	LED Wall Lamp SIRIUS 2x1W	2W	200	6000K	40x100x45	19,89
27930	LED Wall Lamp SIRIUS 2x3W	6W	600	6000K	60x165x110	35,06

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Wall Lamp ELLIPSE IP65

WARRANTY 2 YEARS



Classification

25000hrs | A+ | IP65 | Beam Angle 150° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type PC | BOX 10W 50pcs | BOX 18W 40pcs | Kelvin 3000K 4000K

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
14459	Wall lamp ELLIPSE 10W white	10W	1000	208x98x60	11,29
14473	Wall lamp ELLIPSE 10W Black	10W	1000	208x98x60	11,29
14497	Wall lamp ELLIPSE 18W white	18W	1800	263x135x68	17,11
14510	Wall lamp ELLIPSE 18W Black	18W	1800	263x135x68	17,11

LED Wall lamp POZITANO IP44

WARRANTY 2 YEARS



POZITANO 3141



POZITANO 3142

Classification

30000hrs | A+ | IP44 | Beam Angle 60° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type Alum | BOX 10 pcs | Kelvin 4500K

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
36949	Wall lamp POZITANO 3141	18W	1800	200x290x90	41,63
36956	Wall lamp POZITANO 3142	18W	1800	200x290x90	41,63

LED Wall lamp POZITANO IP44



POZITANO 20149

WARRANTY 2 YEARS



POZITANO 3140

Classification

30000hrs | A+ | IP44 | Beam Angle 60° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type Alum | BOX 4W 10pcs | BOX 18W 6pcs | Kelvin 4500K

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
36932	Wall lamp POZITANO 3140	18W	1800	280x160x120	43,75
06881	Wall lamp POZITANO 20149	4W	400	300x90x150	35,15

Classification

30000hrs | A+ | IP44 | Beam Angle 300° | emergency time 2 hrs | recharging time 20 hrs | Voltage AC230V | Body Type Alum + Glass | BOX 10 pcs

LED Emergency Light EXIT Glass



WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Dimensions mm	Τιμή (€)
15937	LED Emergency Light EXIT Glass	3W	330x182x40	12,21
15975	LED Emergency Light EXIT Glass Right	3W	330x182x40	12,21
16019	LED Emergency Light EXIT Glass Left	3W	330x182x40	12,21

Classification

30000hrs | A+ | IP44 | Beam Angle 300° | emergency time 2 hrs | recharging time 20 hrs | Voltage AC230V | Body Type Alum + Glass | BOX 20 pcs

LED Emergency Light EXIT



WARRANTY 2 YEARS

Note: The lighting fixtures have one and two faces.

SKU	Model	EQ.Watts	Dimensions mm	Τιμή (€)
31364	LED Emergency Light EXIT	3W	330x145x25	5,83
31388	LED Emergency Light EXIT Right	3W	330x145x25	5,83
31371	LED Emergency Light EXIT Left	3W	330x145x25	5,83
31395	LED Emergency Light EXIT Down	3W	330x145x25	5,83
31401	LED Emergency Light EXIT 2F	3W	330x145x25	6,20
31425	LED Emergency Light EXIT 2F Right	3W	330x145x25	6,20
31418	LED Emergency Light EXIT 2F Left	3W	330x145x25	6,20
31432	LED Emergency Light EXIT 2F Down	3W	330x145x25	6,20
18167	LED Emergency Light EXIT 2F Option	3W	330x145x25	17,58

Classification

30000hrs | A+ | IP44 | Beam Angle 300° | emergency time 2 hrs | recharging time 20 hrs | Voltage AC230V | Body Type Alum + Glass | BOX 10 pcs

LED Emergency Light EXIT 2F



WARRANTY 2 YEARS

Note: The lighting fixtures have two faces.

SKU	Model	EQ.Watts	Dimensions mm	Τιμή (€)
16309	LED Emergency Light EXIT 2F	6W	600x200x25	27,75
16323	LED Emergency Light EXIT 2F Right	6W	600x200x25	27,75
16347	LED Emergency Light EXIT 2F Left	6W	600x200x25	27,75

LED Wall Washer
IP66







Classification

30000hrs | A+ | IP66 | Beam Angle 15° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type Alum | BOX 24 pcs | Degrees 15°

Dimensions



Photometric Data



WARRANTY 3 YEARS

SKU	Model	EQ.Watts	Lumens	Kelvin	A x B x C mm	Τιμή (€)
16095	LED Wall Washer 18W 5000K	18W	1800	5000K	500x40x40	57,81
16101	LED Wall Washer 18W RGB	18W	1800	RGB	500x40x40	78,90

LED Wall Washer
IP66







Classification

30000hrs | A+ | IP66 | Beam Angle 15° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type Alum | BOX 12 pcs | Degrees 15°

Dimensions



Photometric Data



WARRANTY 3 YEARS


SKU	Model	EQ.Watts	Lumens	Kelvin	A x B x C mm	Τιμή (€)
16118	LED Wall Washer 36W 5000K	36W	3600	5000K	1000x40x40	96,66
16125	LED Wall Washer 36W RGB	36W	3600	RGB	1000x40x40	117,38

Classification

30000hrs | A+ | IP67 | Beam Angle 24° | CRI ≥80 | PF >0.9 | Voltage AC230V | Body Type Alum | Kelvin 6000K | Circular monting hole

BOX 6W 8pcs | BOX 12/18W 4pcs | BOX 25W 2pcs

Dimensions



LED Underground lamp
TERRA UB
230V IP67



G Light TOP QUALITY PRODUCTS BY 2R | TOP QUALITY PRODUCTS 2R WARRANTY | WARRANTY 5 YEARS


SKU	Model	EQ.Watts	Lumens	Dimensions	Cut out	Τιμή (€)
22386	LED TERRA UB126 6W	6W	600	Ø116	Ø102x74x150	129,50
22393	LED TERRA UB129 12W	12W	1200	Ø173	Ø155x163x220	221,54
22416	LED TERRA UB170 18W	18W	1800	Ø210	Ø179x177x220	305,16
22423	LED TERRA UB173 25W	25W	2500	Ø250	Ø222x218x220	359,83

Classification

30000hrs | A+ | IP67 | Beam Angle 35° | CRI ≥80 | PF >0.9 | Voltage DC24V | Body Type Alum | Kelvin 6000K | Circular monting hole

BOX 0.5W 10pcs | BOX 1.5W 8pcs

Dimensions



LED Underground lamp
TERRA UB
24V IP67

WARRANTY 5 YEARS




SKU	Model	EQ.Watts	Lumens	Dimensions	Cut out	Τιμή (€)
22409	LED TERRA UB134 0.5W	0.5W	50	Ø 45	Ø 42x67x83	53,93
22430	LED TERRA UB607 1.5W	1.5W	150	Ø 65	Ø 42x67x83	57,81

Classification

30000hrs | A+ | IP67 | Beam Angle 25° | CRI ≥80 | PF >0.9 | Voltage DC24V | Body Type Alum | Kelvin 6000K | Circular monting hole

BOX 6W 10pcs | BOX 12W 6pcs

Dimensions



LED Underground lamp
TERRA UB Line
24V IP67

WARRANTY 5 YEARS




SKU	Model	EQ.Watts	Lumens	Dimensions	Cut out	Τιμή (€)
22447	LED TERRA UB Line357	6W	600	195x63x65	180x58x90	124,60
22454	LED TERRA UB Line657	12W	1200	328x63x65	313x58x90	171,13

LED Track Light
METRO






Photometric Data





SKU	Model	EQ.Watts	Lumens	Kelvin	Ø x A x B mm	Τιμή (€)
14299	METRO 01 3000K 4wire Black	20W	2000	3000K	Ø76x200x120	36,91
14336	METRO 01 4500K 4wire Black	20W	2000	4500K	Ø76x200x120	36,91
14374	METRO 02 3000K 4 wire Black	30W	3000	3000K	Ø96x215x145	49,49
14411	METRO 02 4500K 4 wire Black	30W	3000	4500K	Ø96x215x145	49,49


Classification



LED Track Light
METRO




Photometric Data





Dimensions



SKU	Model	EQ.Watts	Lumens	Kelvin	Ø x A x B mm	Τιμή (€)
14312	METRO 01 3000K 4wire White	20W	2000	3000K	Ø76x200x120	36,91
14350	METRO 01 4500K 4wire White	20W	2000	4500K	Ø76x200x120	36,91
14398	METRO 02 3000K 4 wire White	30W	3000	3000K	Ø96x215x145	49,49
14435	METRO 02 4500K 4 wire White	30W	3000	4500K	Ø96x215x145	49,49






LED Track Light
METRO PAM Black




Photometric Data






Classification



Dimensions




SKU	Model	EQ.Watts	Lumens	Kelvin	Ø x A x B mm	Τιμή (€)
14923	METRO PAM 30W 4wire Black	30W	2550	3000K	Ø100x123x210	59,66
14947	METRO PAM 30W 4wire Black	30W	2550	4000K	Ø100x123x210	59,66
14848	METRO PAM 50W 4wire Black	50W	4250	3000K	Ø100x123x210	86,49
14862	METRO PAM 50W 4wire Black	50W	4250	4000K	Ø100x123x210	86,49

LED Track Light
METRO PAM White



Photometric Data





SKU	Model	EQ.Watts	Lumens	Kelvin	Ø x A x B mm	Τιμή (€)
14886	METRO PAM 30W 4wire White	30W	2550	3000K	Ø100x123x210	59,66
14909	METRO PAM 30W 4wire White	30W	2550	4000K	Ø100x123x210	59,66
14800	METRO PAM 50W 4wire White	50W	4250	3000K	Ø100x123x210	86,49
14824	METRO PAM 50W 4wire White	50W	4250	4000K	Ø100x123x210	86,49

LED Track light VARIO



LED Track light
VARIO 15°- 60° Black

WARRANTY 5 YEARS

SKU	Model	EQ.Watts	Lumens	Kelvin	Ø x A x B mm	Τιμή (€)
15005	VARIO 20W 3000K Black	20W	1700	3000K	Ø92x172-200x85	65,07
15029	VARIO 20W 4000K Black	20W	1700	4000K	Ø92x172-200x85	65,07
15081	VARIO 30W 3000K Black	30W	2550	3000K	Ø92x172-200x85	71,92
15104	VARIO 30W 4000K Black	30W	2550	4000K	Ø92x172-200x85	71,92
15166	VARIO 40W 3000K Black	40W	3400	3000K	Ø92x172-200x85	81,86
15180	VARIO 40W 4000K Black	40W	3400	4000K	Ø92x172-200x85	81,86

LED Track light VARIO



LED Track light
VARIO 15°- 60° White

WARRANTY 5 YEARS


SKU	Model	EQ.Watts	Lumens	Kelvin	Ø x A x B mm	Τιμή (€)
14961	VARIO 20W 3000K White	20W	1700	3000K	Ø92x172-200x85	65,07
14985	VARIO 20W 4000K White	20W	1700	4000K	Ø92x172-200x85	65,07
15043	VARIO 30W 3000K White	30W	2550	3000K	Ø92x172-200x85	71,92
15067	VARIO 30W 4000K White	30W	2550	4000K	Ø92x172-200x85	71,92
15128	VARIO 40W 3000K White	40W	3400	3000K	Ø92x172-200x85	81,86
15142	VARIO 40W 4000K White	40W	3400	4000K	Ø92x172-200x85	81,86




Classification


50000hrs | A+ | IP21 | Beam Angle 15-60°
CRI ≥80 | PF >0.95 | Voltage AC230V | Body Type Alum
BOX 10pcs | Flicker-Free | 4 Wire
CREE

Dimensions



Photometric Data





Classification

Body Type AL+PC | 4 Wire | BOX 10 pcs

Track Lines




SKU	Model	Τιμή (€)
16156	Track Line for Metro 4 wire 1m Black	15,26
16132	Track Line for Metro 4 wire 1m White	15,26
16194	Track Line for Metro 4 wire 2m Black	30,53
16170	Track Line for Metro 4 wire 2m White	30,53


Classification

Body Type PC | 4 Wire | BOX 100 pcs

Connectors for Lines



Connector 90°



Connector 90°



Connector 180°

SKU	Model	Τιμή (€)
16279	Connector 90° for Metro 4 wire Black	5,78
16255	Connector 90° for Metro 4 wire White	5,78
16231	Connector 180° for Metro 4 wire Black	3,42
16217	Connector 180° for Metro 4 wire White	3,42

LED Ceiling Lamp 6123



WARRANTY 2 YEARS

Note: 3 White - The color temp changing with switch.


SKU	Model	EQ.Watts	Lumens	Kelvin	Dimensions mm	Τιμή (€)
16576	LED Ceiling lamp 6123A 3White	24W	2400	3White	Ø 430	42,55
16613	LED Ceiling lamp 6123A 3White	36W	3600	3White	Ø 530	61,24
49192	LED Ceiling lamp 6123A Dimm	36W	3600	3000K	Ø 530	83,25
49178	LED Ceiling lamp 6123A Dimm	36W	3600	4500K	Ø 530	83,25

Classification

50000hrs | A+ | IP21 | Beam Angle 120° | CRI >80 | PF >0.5 | Voltage AC230V | Body Type PC | Kelvin 3000K 4500K

BOX 24W 10pcs | BOX 36W 5pcs

Dimensions



LED Ceiling Lamp 6142



WARRANTY 2 YEARS

Note: 3 White - The color temp changing with switch.


SKU	Model	EQ.Watts	Lumens	Kelvin	Dimensions mm	Τιμή (€)
16736	LED Ceiling lamp 6142A 3White	12W	1200	3White	Ø 280	16,93
16774	LED Ceiling lamp 6142A 3White	18W	1800	3White	Ø 340	20,44
16798	LED Ceiling lamp 6142A 3White	24W	2400	3White	Ø 390	24,24
16903	LED Ceiling lamp 6142A 3White	36W	3600	3White	Ø 480	43,01
16941	LED Ceiling lamp 6142A 3White	48W	4800	3White	Ø 580	56,80
49239	LED Ceiling lamp 6142A Dimm	48W	4800	3000K	Ø 580	81,49
49215	LED Ceiling lamp 6142A Dimm	48W	4800	4500K	Ø 580	81,49

Classification

50000hrs | A+ | IP21 | Beam Angle 120° | CRI >80 | PF >0.5 | Voltage AC230V | Body Type PC | Kelvin 3000K 4500K

BOX 12W 20 pcs | BOX 18/24W 10 pcs | BOX 36/48W 5 pcs

Dimensions



LED Ceiling Lamp 8008



WARRANTY 2 YEARS

Note: 3 White - The color temp changing with switch.


SKU	Model	EQ.Watts	Lumens	Kelvin	Dimensions mm	Τιμή (€)
15531	LED Ceiling lamp 8008D 3White	48W	4800	3White	Ø 580	72,34
16538	LED Ceiling lamp 8008D 3White whith remote controler	80W	8000	3White	Ø 780	134,59

Classification

50000hrs | A+ | IP21 | Beam Angle 120° | CRI >80 | PF >0.5 | Voltage AC230V | Body Type PC

BOX 1 pcs

Dimensions




LED Ceiling Lamp 6140E



Classification

50000hrs | A+ | IP21 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type PC | Kelvin 3000K 4500K | BOX 18/36W 10pcs | BOX 48W 5pcs

Dimensions



WARRANTY 2 YEARS

Note: 3 White - The color temp changing with switch.

SKU	Model	EQ.Watts	Lumens	Kelvin	A x B mm	Τιμή (€)
17122	LED Ceiling lamp 6140E 3White	18W	1800	3White	340x340	31,64
17160	LED Ceiling lamp 6140E 3White	36W	3600	3White	440x440	50,78
17207	LED Ceiling lamp 6140E 3White	48W	4800	3White	540x540	62,25
49277	LED Ceiling lamp 6140E Dimm	48W	4800	3000K	540x540	87,69
49253	LED Ceiling lamp 6140E Dimm	48W	4800	4500K	540x540	87,69


LED Ceiling Lamp 6140F



Classification

50000hrs | A+ | IP21 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type PC | BOX 10 pcs

Dimensions



WARRANTY 2 YEARS

Note: 3 White - The color temp changing with switch.

SKU	Model	EQ.Watts	Lumens	Kelvin	A x B mm	Τιμή (€)
17245	LED Ceiling lamp 6140F 3White	36W	3600	3White	430x430	46,62


LED Ceiling Lamp 8284



Classification

50000hrs | A+ | IP21 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type PC | BOX 1 pcs

Dimensions



WARRANTY 2 YEARS

Note: 3 White - The color temp changing with switch.

SKU	Model	EQ.Watts	Lumens	Kelvin	A x B mm	Τιμή (€)
16699	LED Ceiling lamp 8284 3White whith remote controler	120W	12000	3White	950x650	190,46

LED Ceiling Lamp 8275






Classification

50000hrs | A+ | IP21 | Beam Angle 120° | CRI ³80 | PF >0.5 | Voltage AC230V | Body Type PC | BOX 24W 10pcs | BOX 36W 5pcs

Dimensions



WARRANTY 2 YEARS

Note: 3 White - The color temp changing with switch.

SKU	Model	EQ.Watts	Lumens	Kelvin	A x B mm	Τιμή (€)
17474	LED Ceiling lamp 8275A 3White	24W	2400	3White	Ø 410	47,82
17498	LED Ceiling lamp 8275A 3White	36W	3600	3White	Ø 510	69,28
17511	LED Ceiling lamp 8275B 3White	36W	3600	3White	520x520	77,98

LED Ceiling Lamp IRIS




WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Ø x A mm	Τιμή (€)
00551	LED Ceiling lamp IRIS F300	12W	1080	Ø 300 x 75	16,56
00575	LED Ceiling lamp IRIS F360	18W	1620	Ø 360 x 95	20,44
00599	LED Ceiling lamp IRIS F410	24W	2160	Ø 410 x 95	26,18

Classification

30000hrs | A+ | IP44 | Beam Angle 170° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type PC | BOX 12W 40pcs 18W 50pcs | BOX 24W 30pcs | Kelvin 4500K

Dimensions



LED Ceiling Lamp GALERA CF




WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	AxBxC mm	Τιμή (€)
03286	LED Ceiling lamp GALERA CF	8W	800	250x175x80	11,38
03309	LED Ceiling lamp GALERA CF	14W	980	325x240x80	16,84

Classification

50000hrs | A+ | IP54 | Beam Angle 120° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type PC | BOX 8W 20pcs | BOX 14W 10pcs | Kelvin 4500K

Dimensions



LED Ceiling Lamp GALERA GB




WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Ø x A mm	Τιμή (€)
03262	LED Ceiling lamp GALERA GB F210	8W	800	Ø 210 x 70	9,20
02227	LED Ceiling lamp GALERA GB F270	12W	1200	Ø 270 x 70	13,00
02241	LED Ceiling lamp GALERA GB F350	18W	1800	Ø 350 x 80	15,22
02265	LED Ceiling lamp GALERA GB F390	24W	2400	Ø 390 x 80	18,96

Classification

50000hrs | A+ | IP54 | Beam Angle 120° | CRI ≥80 | PF >0.5 | Voltage AC230V | Body Type PC | BOX 8/12W 20pcs | BOX 18/24W 10pcs | Kelvin 4500K

Dimensions




LED Sensor Lamp IRIS SENSE


Classification

50000hrs | A+ | IP44 | Beam Angle 170° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type PC | Kelvin 4500K | BOX 12W 20pcs | BOX 24W 10pcs

Dimensions



WARRANTY 2 YEARS






SKU	Model	EQ.Watts	Lumens	Ø x A mm	Τιμή (€)
03743	LED sensor lamp IRIS SENSE F300	12W	1080	Ø 300 x 75	25,44
03767	LED sensor lamp IRIS SENSE F400	24W	2160	Ø 410 x 95	34,41

LED Sensor Lamp SENSE


Classification

Voltage AC230V | A+ | IP21 | Beam Angle 170° | Body Type PS+Glass | BOX 10 pcs

Dimensions



WARRANTY 2 YEARS






SKU	Model	EQ.Watts	Lumens	Ø x A mm	Τιμή (€)
08137	LED sensor lamp SENSE 2xE27			Ø 300 x 90	20,77

LED Sensor Lamp SAFE SENSE


Classification

50000hrs | A+ | IP44 | Beam Angle 120° | CRI 80 | PF >0.5 | Voltage AC230V | Body Type PC | Kelvin 6000K | BOX 20 pcs

Dimensions



WARRANTY 2 YEARS





SKU	Model	EQ.Watts	Lumens	Ø x A mm	Τιμή (€)
06935	LED sensor lamp SAFE SENSE 1141	8W	800	Ø 220 x 45	12,21
06942	LED sensor lamp SAFE SENSE 1141	11W	1100	Ø 280 x 50	15,82

LED Strip Light 12V 3528 60pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
04542	LED Strip Light 3528 2700K	4.8W	240	2700K	8 mm	50 mm	1,20
04566	LED Strip Light 3528 4000K	4.8W	240	4000K	8 mm	50 mm	1,20
04528	LED Strip Light 3528 6000K	4.8W	240	6000K	8 mm	50 mm	1,20
08151	LED Strip Light 3528 yellow	4.8W	240	yellow	8 mm	50 mm	1,20
04481	LED Strip Light 3528 green	4.8W	240	green	8 mm	50 mm	1,20
04504	LED Strip Light 3528 red	4.8W	240	red	8 mm	50 mm	1,20
04467	LED Strip Light 3528 blue	4.8W	240	blue	8 mm	50 mm	1,20

Classification

30000hrs A+ IP20 Beam Angle 120°

CRI ≥80 Voltage DC12V BOX 500 m

WARRANTY 2 YEARS

LED Strip Light 12V 3528 60pcs/m IP54



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
04603	LED Strip Light 3528 2700K	4.8W	240	2700K	8 mm	50 mm	1,62
04627	LED Strip Light 3528 4000K	4.8W	240	4000K	8 mm	50 mm	1,62
04580	LED Strip Light 3528 6000K	4.8W	240	6000K	8 mm	50 mm	1,62
08175	LED Strip Light 3528 yellow	4.8W	240	yellow	8 mm	50 mm	1,62
04665	LED Strip Light 3528 green	4.8W	240	green	8 mm	50 mm	1,62
04689	LED Strip Light 3528 red	4.8W	240	red	8 mm	50 mm	1,62
04641	LED Strip Light 3528 blue	4.8W	240	blue	8 mm	50 mm	1,62

Classification

30000hrs A+ IP54 Beam Angle 120°

CRI ≥80 Voltage DC12V BOX 500 m

WARRANTY 2 YEARS

LED Strip Light 12V 3528 120pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
04702	LED Strip Light 3528 2700K	9,6 W	480	2700K	8 mm	25 mm	2,54
04726	LED Strip Light 3528 4000K	9,6 W	480	4000K	8 mm	25 mm	2,54
04740	LED Strip Light 3528 6000K	9,6 W	480	6000K	8 mm	25 mm	2,54

Classification

30000hrs A+ IP20 Beam Angle 120°

CRI ≥80 Voltage DC12V BOX 500 m

WARRANTY 2 YEARS

LED Strip Light 12V 5050 60pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
04801	LED Strip Light 5050 2700K	14,4 W	576	2700K	8 mm	50 mm	2,50
04788	LED Strip Light 5050 4000K	14,4 W	576	4000K	8 mm	50 mm	2,50
04764	LED Strip Light 5050 6000K	14,4 W	576	6000K	8 mm	50 mm	2,50

Classification

30000hrs A+ IP20 Beam Angle 120°

CRI ≥80 Voltage DC12V BOX 500 m

WARRANTY 2 YEARS

Classification

30000hrs A+ IP20 Beam Angle 120° CRI 80 Voltage DC12V BOX 500 m WARRANTY 2 YEARS

LED Strip Light 12V RGB 5050 IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
04825	LED Strip Light 30pcs RGB 5050	7.2 W	360	RGB	10 mm	50 mm	1,76
04849	LED Strip Light 60pcs RGB 5050	14.4 W	720	RGB	10 mm	50 mm	2,87

Classification

30000hrs A+ IP54 Beam Angle 120° CRI 80 Voltage DC12V BOX 500 m WARRANTY 2 YEARS

LED Strip Light 12V RGB 5050 IP54



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
04863	LED Strip Light 30pcs RGB 5050	7.2 W	360	RGB	10 mm	50 mm	2,31
04887	LED Strip Light 60pcs RGB 5050	14.4 W	720	RGB	10 mm	50 mm	3,52

Classification

30000hrs A+ IP20 Beam Angle 120° CRI 80 Voltage DC12V BOX 500 m WARRANTY 2 YEARS

LED Strip Light 12V 2835 S-TYPE



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
84476	LED Strip Light 2835 S-TYPE	4.8W	240	2700K	8 mm	50 mm	2,13
84490	LED Strip Light 2835 S-TYPE	4.8W	240	4000K	8 mm	50 mm	2,13
84513	LED Strip Light 2835 S-TYPE	4.8W	240	6000K	8 mm	50 mm	2,13

Classification

30000hrs A+ IP20 Beam Angle 120° CRI 80 Voltage DC12V BOX 500 m WARRANTY 2 YEARS

LED Strip Light 12V 2835 60pcs/m IP20




SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
08298	LED Strip Light 2835 2700K	4.8W	240	2700K	8 mm	50 mm	2,04
04924	LED Strip Light 2835 4000K	4.8W	240	4000K	8 mm	50 mm	2,04
04900	LED Strip Light 2835 6000K	4.8W	240	6000K	8 mm	50 mm	2,04

Classification

30000hrs A+ IP20 Beam Angle 120° CRI 80 Voltage DC12V BOX 500 m WARRANTY 2 YEARS

LED Strip Light 12V 5730 60pcs/m IP20



SKU	Model	W/m	Lum/m	Kelvin	Dimensions	Cuttable	Τιμή (€)
08199	LED Strip Light 5730 2700K	15 W	750	2700K	10 mm	25 mm	2,73
08212	LED Strip Light 5730 4000K	15 W	750	4000K	10 mm	25 mm	2,73
08236	LED Strip Light 5730 6000K	15 W	750	6000K	10 mm	25 mm	2,73

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Strip Light 230V 2835 60pcs/m IP54




SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable	Τιμή (€)
04948	LED Strip Light 2835 3000K	14.4 W	720	RGB	10 mm	1000mm	1,39
04962	LED Strip Light 2835 6000K	14.4 W	720	RGB	10 mm	1000mm	1,39

Classification

30000hrs | A+ | IP54 | Beam Angle 120° | CRI 80 | Voltage AC230V | BOX 100 m | WARRANTY 2 YEARS

LED Strip Light 230V 5050 60pcs/m IP54




SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable	Τιμή (€)
04986	LED Strip Light 5050 3000K	14.4 W	720	RGB	10 mm	1000mm	1,80
05006	LED Strip Light 5050 6000K	14.4 W	720	RGB	10 mm	1000mm	1,80

Classification

30000hrs | A+ | IP54 | Beam Angle 120° | CRI 80 | Voltage AC230V | BOX 100 m | WARRANTY 2 YEARS

Connector for LSL 230V



SKU	Model	Τιμή (€)
20832	Connector for LSL 2835 230V	2,50
20825	Connector for LSL 5050 230V	2,50

Classification

Voltage AC230V | A+ | BOX pcs

LED Strip Light DC24V 5050 60pcs/m IP20



SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable	Τιμή (€)
10352	LED Strip Light 5050 2700K	14.4 W	720	2700K	10 mm	100 mm	2,59
10390	LED Strip Light 5050 6000K	14.4 W	720	6000K	10 mm	100 mm	2,59
10475	LED Strip Light RGB 5050	14.4 W	720	RGB	10 mm	100 mm	2,59

Classification

30000hrs | A+ | IP20 | Beam Angle 120° | CRI 80 | Voltage DC24V | BOX 500 m | WARRANTY 2 YEARS

LED Strip Light DC24V 3528 60pcs/m IP20



SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable	Τιμή (€)
10437	LED Strip Light 3528 2700K	4.8 W	240	2700K	10 mm	50 mm	2,41
10451	LED Strip Light 3528 4000K	4.8 W	240	4000K	10 mm	50 mm	2,41
10413	LED Strip Light 3528 6000K	4.8 W	240	6000K	10 mm	50 mm	2,41

Classification

30000hrs | A+ | IP20 | Beam Angle 120° | CRI 80 | Voltage DC24V | BOX 500 m | WARRANTY 2 YEARS

Connector and Profiles for LED Strip



Connector 180°

SKU	Model	Τιμή (€)
87156	8 mm	0,60
87163	10 mm	0,60
87170	10 mm RGB	0,60



Connector 90°

SKU	Model	Τιμή (€)
87187	8 mm	1,11
87194	10 mm RGB	1,11



Connector T

SKU	Model	Τιμή (€)
87200	8 mm	1,30
87217	10 mm RGB	1,30




Connector +

SKU	Model	Τιμή (€)
87224	8 mm	1,57
87231	10 mm RGB	1,57



Connector 180° with cable

SKU	Model	Τιμή (€)
87248	8 mm	0,97
87255	10 mm	0,97
87262	10 mm RGB	0,97






Profiles with Cover for LED Strip Lights

CC-15.9*15.9

SKU	Model	Τιμή (€)
37007	LED Strip Alu Profil CC-15.9*15.9 PVC cover	3,01






Profiles with Cover for LED Strip Lights

CC 026

SKU	Model	Τιμή (€)
29248	LED Strip Alu Profil CC026 PVC cover KX374	3,56
29071	Cap for profile CC 026	0,37






Profiles with Cover for LED Strip Lights

CC 031

SKU	Model	Τιμή (€)
29255	LED Strip Alu Profil CC031 PVC cover	3,52
29064	Cap for profile CC 031	0,37






Profiles with Cover for LED Strip Lights

CC 032

SKU	Model	Τιμή (€)
36888	LED Strip Alu Profil CC032 PVC cover	3,38
29057	Cap for profile CC 032	0,37





Profiles with Cover for LED Strip Lights

CC 037

SKU	Model	Τιμή (€)
29279	LED Strip Alu Profil CC037 PVC cover	4,16
29095	Cap for profile CC 037	0,37





Profiles with Cover for LED Strip Lights

Profil ALU 11.2

SKU	Model	Τιμή (€)
29194	LED Strip Alu Profil ALU 11.2 PVC cover	2,78
87279	Cap for profile ALU 11.2	0,37






Profiles Open for LED Strip Lights

11.4*3.5

SKU	Model	Τιμή (€)
29163	LED Strip Alu Profil 11.4*3.5	2,68







Profiles Open for LED Strip Lights

CC013X

SKU	Model	Τιμή (€)
37014	LED Strip Alu Profil CC013X	2,68





Profiles Open for LED Strip Lights

CC 023

SKU	Model	Τιμή (€)
29224	LED Strip Alu Profil CC023	2,68
29088	Cap for profile CC 023	0,37





Profiles Open for LED Strip Lights

16.1x16.1 corner

SKU	Model	Τιμή (€)
29187	LED Strip Alu Profil 16.1x16.1 corner	2,68





Profiles Open for LED Strip Lights


13x13

SKU	Model	Τιμή (€)
29170	LED Strip Alu Profil 13x13	2,68

LED Transformer 12V
IP20

WARRANTY 2 YEARS

Classification
IP20 | A+ | Voltage DC12V | BOX 12W 400pcs
BOX 24/36/60W 200pcs | BOX 100/150W 126pcs | BOX 250/350W 60pcs




SKU	Model	Power	Dimensions L x W x H mm	Τιμή (€)
84339	LED Transformer 12W	12W	72 x 40 x 31	3,84
05129	LED Transformer 24W	24W	85 x 58 x 34	4,67
05143	LED Transformer 36W	36W	85 x 58 x 34	7,17
05167	LED Transformer 60W	60W	126 x 46 x 32	8,19
05181	LED Transformer 100W	100W	187 x 46 x 34	11,19
05204	LED Transformer 150W	150W	187 x 46 x 34	15,59
05228	LED Transformer 250W	250W	223 x 70 x 38	17,58
12530	LED Transformer 360W	360W	223 x 70 x 38	20,86

LED Transformer 12V
IP65

WARRANTY 2 YEARS

Classification
IP65 | A+ | Voltage DC12V | BOX 10W 100pcs
BOX 20/30W 50pcs | BOX 50/60W 40pcs | BOX 100W 15pcs




SKU	Model	Power	Dimensions L x W x H mm	Τιμή (€)
05242	LED Transformer 10W	10W	115 x 30 x 20	6,01
26612	LED Transformer 20W	20W	185 x 30 x 20	9,20
05266	LED Transformer 30W	30W	200 x 30 x 20	10,22
10253	LED Transformer 50W	50W	175 x 42 x 32	16,84
87484	LED Transformer 60W	60W	145 x 50 x 32	19,66
10338	LED Transformer 100W	100W	180 x 70 x 40	27,66

LED Transformer 24V
IP20

WARRANTY 2 YEARS

Classification
IP20 | A+ | Voltage DC24V | BOX 24W 200pcs
BOX 48W 120pcs | BOX 72W 60pcs | BOX 120/180W 50pcs



SKU	Model	Power	Dimensions L x W x H mm	Τιμή (€)
87453	LED Transformer 24W	24W	85 x 58 x 34	4,76
87460	LED Transformer 48W	48W	110 x 78 x 38	6,61
10192	LED Transformer 72W	72W	159 x 99 x 42	9,30
10215	LED Transformer 120W	120W	199 x 88 x 42	11,84
84391	LED Transformer 180W	180W	199 x 98 x 42	14,20

LED POWER ADAPTER 12V
IP44

WARRANTY 2 YEARS

Classification
IP44 | A+ | Voltage DC12V | BOX 50 pcs



SKU	Model	Power	Dimensions L x W x H mm	Τιμή (€)
14015	LED POWER ADAPTER 36W	36 W	140 x 64 x 34	9,07
14022	LED POWER ADAPTER 60W	60 W	140 x 64 x 34	10,36
14039	LED POWER ADAPTER 84W	84 W	140 x 64 x 34	14,25
14046	LED POWER ADAPTER 96W	96 W	140 x 64 x 34	17,16

CONTROLLER FOR LED STRIP



SKU	Model	Τιμή (€)
13797	Controller for RGB 4 zone 12V 3x6A RF	16,19



SKU	Model	Τιμή (€)
13803	Remote controller for RGB 4 zone 12V 3x6A RF	19,43



SKU	Model	Τιμή (€)
13810	Amplifier for LED strip RGB 12V 24A	8,19



SKU	Model	Τιμή (€)
13827	LED dimmer 12V 8A RF	8,93



SKU	Model	Τιμή (€)
13834	LED dimm for wall 12V 16A	13,14
56466	LED dimm for wall 230V 1.3A	23,13



SKU	Model	Τιμή (€)
13841	Touch controller RGB for wall 12V 4x4A	22,48



SKU	Model	Τιμή (€)
13865	Touch controller RGB 12V 3x6A RF	23,96



SKU	Model	Τιμή (€)
13858	Controller by bluetooth 12V 3x4A	30,06

CONTROLLER FOR LED STRIP



SKU	Model	Τιμή (€)
13872	Controller for RGB 12V 3x8A 20 KEYS RF	15,26



SKU	Model	Τιμή (€)
13889	Controller for RGB 12V 3x8A 44 KEYS RF	16,19



SKU	Model	Τιμή (€)
13896	Controller 12V 3x2A with bush IR	7,45




SKU	Model	Τιμή (€)
13919	Mini 44 contrloller 12V 3x2A IR	6,48




SKU	Model	Τιμή (€)
13902	Mini music contrloller 12V 3x2A IR	12,63



SKU	Model	Τιμή (€)
13780	Hand sensor control 12V/24V switch 5A IR	16,00



NEON LED STT DIMMABLE 230V




WARRANTY 2 YEARS

Classification

25000hrs | A+ | IP65 | Beam Angle 160° | Voltage AC230V | BOX 50 m

Dimensions


Cross Section




Dimming Function

TRIAC

SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable	Τιμή (€)
15807	LED NEON STT 2835 White	12W/m	2280	2700K	8 x 16	1 m	8,05
15821	LED NEON STT 2835 White	12W/m	2400	4500K	8 x 16	1 m	8,05
15845	LED NEON STT 2835 White	12W/m	2520	6000K	8 x 16	1 m	8,05



WARRANTY 2 YEARS



SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable	Τιμή (€)
15906	LED NEON STT 2835 YELLOW	12W/m		Yellow	8 x 16	1 m	8,05
15883	LED NEON STT 2835 GREEN	12W/m		Green	8 x 16	1 m	8,05
15869	LED NEON STT 2835 RED	12W/m		Red	8 x 16	1 m	8,05
15920	LED NEON STT 2835 BLUE	12W/m		Blue	8 x 16	1 m	9,20
15944	LED NEON STT 2835 PUPPLE	12W/m		Purple	8 x 16	1 m	9,76
15968	LED NEON STT 2835 RGB	12W/m		RGB	8 x 16	1 m	10,18

Classification

5000hrs | A+ | IP65 | Beam Angle 160° | Voltage DC12V | Voltage DC24V | BOX 50 m

NEON LED STT DIMMABLE 12V/24V

Note: Accessories for NEON per page 76.

WARRANTY 2 YEARS

SKU	Model	W/Lm	Lum/Lm	Kelvin	Dimensions	Cuttable	Τιμή (€)
15982	LED NEON STT 2835 White 12V	12W/m	2400	4500K	8 x 16	500 mm	10,18
16002	LED NEON STT 2835 White 24V	12W/m	2400	4500K	8 x 16	500 mm	10,18

ACCESSORIES for NEON LED STT






Cap



Pin conector



Pin conector for RGB



Connector 90°



Connector 180°



Connector T-shaped



SKU	Model	Τιμή (€)
29323	Plug 230V Neon LED	2,64
16057	Cap Neon LED	0,46
16071	Pin conector Neon LED	0,46
16088	Pin conector Neon LED RGB	1,30
16064	Profill 1m NEON LED	3,10
78956	Connector with cable 25cm NEON LED RGB	2,68
87286	Connector T-shaped NEON LED	2,68
87293	Connector 90° NEON LED	2,68
87309	Connector 180° NEON LED	2,68
87316	Connector 180° NEON LED RGB	2,78

LED Chips





SKU	Model	Lm/W	mA	Kelvin	Τιμή (€)
87323	LED Chip 30-80W with holder	140	2100	3000K	10,64
87330	LED Chip 30-80W with holder	140	2100	4000K	10,64
87347	LED Chip 30-80W with holder	140	2100	5700K	10,64

LED Drivers





SKU	Model	Power	mA	IP	Τιμή (€)
87361	LED Driver 20W 22-36V	20W	550-600	65	14,06
87378	LED Driver 30W 22-36V	30W	850-900	65	19,70
87385	LED Driver 40W 22-36V	40W	1100	65	25,44
87392	LED Driver 50W 22-36V	50W	1300	65	26,83
87408	LED Driver 60W 22-36V	60W	1500	65	28,68
87354	LED Driver 80W 22-36V	80W	2000	65	43,48

Park & Garden Fixtures Sections



MACAO



MACAO



CHICAGO, SEATTLE



VENICE



OPAL, FUME, PRIZMATIC



VERONA



IRON



IRON



PACIFIC SMALL, MIDDLE, BIG



LANTERN



LANTERN ACRON



CDP 1427, MEDINA



ROMA, SYDNEY, KX 1503



GARDENA B



GARDENA P

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Park Fixture MACAO NEW



WARRANTY 3 YEARS


Classification

30000hrs | A+ | IK10 | IP66

CRI ≥80 | PF >0.9 | Voltage AC230V | Kelvin 5000K

BOX 1 pcs

Dimensions



SKU	Model	EQ.Watts	Lumens	Τιμή (€)
07994	LED Park Fixture MACAO NEW	40W	4000	263,63
08014	LED Park Fixture MACAO NEW	60W	6000	291,38

LED Park Fixture MACAO HO 120 Lm/W



WARRANTY 3 YEARS


Classification

30000hrs | A+ | IK10 | IP66

CRI ≥80 | PF >0.9 | Voltage AC230V | Kelvin 4000K 5700K

BOX 1 pcs

Dimensions




SKU	Model	EQ.Watts	Lumens	Kelvin	Τιμή (€)
30183	LED Park Fixture MACAO HO 80W	80W	9600	4000K	328,38
30190	LED Park Fixture MACAO HO 80W	80W	9600	5700K	328,38
30169	LED Park Fixture MACAO HO100W	100W	12000	4000K	365,38
30176	LED Park Fixture MACAO HO100W	100W	12000	5700K	365,38

Classification

Voltage AC230V | A+ | IK10 | IP66

BOX 1 pcs

Dimensions



LED Park Fixture MACAO HH



WARRANTY 2 YEARS

Note: The lamp is NOT included in the price


SKU	Model	Base	Τιμή (€)
30152	LED Park Fixture MACAO HH E27	E 27	106,38

Classification

Voltage AC230V | A+ | IK10 | IP66

BOX 1 pcs

Dimensions




SFERA 400 PMMA Plus



WARRANTY 3 YEARS

SKU	Model	Base	Lamp	Τιμή (€)
33450	SFERA PMMA Plus 02/50W	E27	HPS	71,23
33467	SFERA PMMA Plus 02/70W	E27	HPS	73,08
33481	SFERA PMMA Plus 03/70W	G12	MH	74,00

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com



LED Park Fixture CHICAGO



Classification


30000hrs | A+ | IK10 | IP66


CRI >80 | PF >0.9 | Voltage AC230V | Kelvin 4500K

BOX 1 pcs

WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Τιμή (€)
30053	LED Park Fixture CHICAGO 40W Ø60mm	40W	4000	296,00
30077	POLE CHICAGO 3m Ø60mm			346,88





LED Park Fixture SEATTLE



Classification

30000hrs | A+ | IK10 | IP66

CRI >80 | PF >0.9 | Voltage AC230V | Kelvin 4500K

BOX 1 pcs

WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Τιμή (€)
09097	LED Park Fixture SEATTLE Ø60mm	60W	6000	231,25
30299	Pole SEATTLE 2.8m Ø60			180,38
30305	Pole SEATTLE 2.9m Ø60			346,88

Classification

IK10 Body Type Aluminium

Park poles Venice are made by special aluminium alloy painted in flat black. Lantern Pacific can be mounted on all poles Venice. See page 86-87.

VENICE



Note: Lanterns are not included in the VENICE.

SKU	Model	H mm	Color	Τιμή (€)
32873	Park pole VENICE 70	700	black	17,58
32781	Park pole VENICE 130	1300	black	36,54
32811	Park pole VENICE 170	1700	black	53,65
32842	Park pole VENICE 240	2400	black	78,63
30329	VENICE arm 20		black	34,13
30336	VENICE arm 21		black	31,45
30367	VENICE arm 31		black	34,23
32774	Conector VENICE		black	2,78

OPAL



WARRANTY 2 YEARS

Classification
BOX Base E27 IP43

SKU	Model	Color	BOX pcs	Τιμή (€)
02661	OPAL Ø 200	opal	18 pcs	6,24
02678	OPAL Ø 250	opal	12 pcs	9,57
02685	OPAL Ø 300	opal	8 pcs	12,40
02692	OPAL Ø 400	opal	4 pcs	26,78

FUME



WARRANTY 2 YEARS

Classification
BOX Base E27 IP43

SKU	Model	Color	BOX pcs	Τιμή (€)
02708	FUME Ø 200	fume	18 pcs	6,57
02715	FUME Ø 250	fume	12 pcs	9,57
02722	FUME Ø 300	fume	8 pcs	12,53
02739	FUME Ø 400	fume	4 pcs	30,53

PRIZMATIC



WARRANTY 2 YEARS

Classification
BOX Base E27 IP43

SKU	Model	Color	BOX pcs	Τιμή (€)
03828	PRIZMATIC Ø 200	prizmatic	18 pcs	6,57
33160	PRIZMATIC Ø 250	prizmatic	12 pcs	9,57
33177	PRIZMATIC Ø 300	prizmatic	8 pcs	12,53
33184	PRIZMATIC Ø 400	prizmatic	4 pcs	30,53

OPAL W



WARRANTY 2 YEARS

Classification
BOX Base E27 IP43

SKU	Model	Color	BOX pcs	Τιμή (€)
02746	OPAL FOR WALL Ø 200	opal	12 pcs	7,82
03873	PRIZMATIC FOR WALL Ø 200	prizmatic	12 pcs	7,82

BASE OM



OM 80



OM 140

WARRANTY 2 YEARS

Classification
BOX Base E27 IP43

SKU	Model	Color	BOX pcs	Τιμή (€)
03880	Base OM 80	black	50 pcs	1,90
03897	Base OM 140	black	50 pcs	2,22

Classification

BOX pcs | Base E27 | IP44 | Body Type Aluminium + Glass

VERONA

WARRANTY 2 YEARS



SKU	Model	H mm	Color	Τιμή (€)
04146	Garden light Verona wall	560	SIR	78,81



Classification

BOX pcs | Base E27 | IP44 | Body Type Aluminium + Glass

VERONA POLE SET

WARRANTY 2 YEARS

SKU	Model	Base	Color	Τιμή (€)
31791	Garden light Verona set with pole	2xE27	SIR	254,38

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

IRON 2079

Classification

Base E27 | IP44 | Body Type Iron+ Glass | BOX 6 pcs



IRON 01



IRON 03



IRON 04

WARRANTY 2 YEARS

SKU	Model	Color	Τιμή (€)
82526	IRON 2079 01/Wall	black	73,08
82489	IRON 2079 03/Standing	black	73,08
82502	IRON 2079 04/Hanging	black	73,08

IRON 2222

Classification

Base E27 | IP44 | Body Type Iron+ Glass | BOX 6 pcs



WARRANTY 2 YEARS

SKU	Model	Color	Τιμή (€)
50310	IRON 2222 01/Wall	brown	55,41

Classification

Base E27 | IP44 | Body Type Iron+Glass | BOX 6 pcs

IRON 2191

WARRANTY 2 YEARS



IRON 2191 01



IRON 2191 04

SKU	Model	Color	Τιμή (€)
82465	IRON 2191 01/Wall	brown	48,75
82441	IRON 2191 04/Hanging		48,75

Classification

Base E27 | IP44 | Body Type Alum+Glass | BOX 6 pcs

BELL

WARRANTY 2 YEARS





SKU	Model	Color	Τιμή (€)
05044	Garden light BELL	Old Gold	50,88
05068	Garden light BELL	Black	50,88

Classification

Base E27 | IP44 | Body Type Alum+Glass | BOX 12 pcs

ART

WARRANTY 2 YEARS





SKU	Model	Color	Τιμή (€)
10918	ART wave glass	Old Gold	21,23
10871	ART yellow glass	Old Gold	26,22

PACIFIC SMALL



WARRANTY 2 YEARS

Classification

Base E27 | Body Type Alum+ Glass | IP44 | BOX pcs

SKU	Model	pcs BOX	Color	Τιμή (€)
10574	SMALL 01 Wall	12	BLACK	11,84
10598	SMALL 01 Wall	12	WHITE	11,84
10611	SMALL 01 Wall	12	OLD GOLD	11,84
31548	SMALL 02 Standing	1	BLACK	16,19
31029	SMALL 02 Standing	1	WHITE	16,19
31517	SMALL 02 Standing	1	OLD GOLD	16,19
31555	SMALL 03 Standing	1	BLACK	16,93
31036	SMALL 03 Standing	1	WHITE	16,93
31524	SMALL 03 Standing	1	OLD GOLD	16,93
31531	SMALL 04 Hanging	1	BLACK	16,60
31012	SMALL 04 Hanging	1	WHITE	16,60
31500	SMALL 04 Hanging	1	OLD GOLD	16,60

PACIFIC MIDDLE



WARRANTY 2 YEARS

Classification

Base E27 | Body Type Alum+ Glass | IP44 | BOX pcs

SKU	Model	pcs BOX	Color	Τιμή (€)
10635	MIDDLE 01 Wall	12	BLACK	12,40
10659	MIDDLE 01 Wall	12	WHITE	12,40
04061	MIDDLE 01 Wall	12	OLD GOLD	12,40
30992	MIDDLE 02 Standing	1	BLACK	16,23
30909	MIDDLE 02 Standing	1	WHITE	16,23
30961	MIDDLE 02 Standing	1	OLD GOLD	16,23
31005	MIDDLE 03 Standing	1	BLACK	17,76
87477	MIDDLE 03 Standing	1	WHITE	17,76
30978	MIDDLE 03 Standing	1	OLD GOLD	17,76
30985	MIDDLE 04 Hanging	1	BLACK	17,48
30893	MIDDLE 04 Hanging	1	WHITE	17,48
30954	MIDDLE 04 Hanging	1	OLD GOLD	17,48

PACIFIC BIG



WARRANTY 2 YEARS

Classification

Base E27 | Body Type Alum+ Glass | IP44 | BOX pcs

SKU	Model	pcs BOX	Color	Τιμή (€)
04085	BIG 01 Wall	12	BLACK	15,96
10673	BIG 01 Wall	12	WHITE	15,96
10697	BIG 01 Wall	12	OLD GOLD	15,96
30879	BIG 02 Standing	1	BLACK	20,30
30787	BIG 02 Standing	1	WHITE	20,30
30848	BIG 02 Standing	1	OLD GOLD	20,30
30886	BIG 03 Standing	1	BLACK	21,04
30794	BIG 03 Standing	1	WHITE	21,04
30855	BIG 03 Standing	1	OLD GOLD	21,04
30862	BIG 04 Hanging	1	BLACK	20,95
30770	BIG 04 Hanging	1	WHITE	20,95
30831	BIG 04 Hanging	1	OLD GOLD	20,95

Classification

Base E27 | Body Type Alum+ Glass | IP44 | BOX pcs

LANTERN CS

WARRANTY 2 YEARS

SKU	Model	pcs BOX	Color	Τιμή (€)
10772	CS 01 Wall	6	BLACK	38,02
10819	CS 01 Wall	6	OLD GOLD	38,02
30558	CS 02 Standing	1	BLACK	39,91
30527	CS 02 Standing	1	OLD GOLD	39,91
30565	CS 03 Standing	1	BLACK	39,91
30534	CS 03 Standing	1	OLD GOLD	39,91
30541	CS 04 Hanging	1	BLACK	39,91
30510	CS 04 Hanging	1	OLD GOLD	39,91









Classification

Base E27 | Body Type Alum+ Glass | IP44 | BOX pcs

LANTERN CB

WARRANTY 2 YEARS

SKU	Model	pcs BOX	Color	Τιμή (€)
10710	CB 01 Wall	4	BLACK	41,35
10758	CB 01 Wall	4	OLD GOLD	41,35
30473	CB 02 Standing	1	BLACK	47,27
30459	CB 02 Standing	1	OLD GOLD	47,27
30497	CB 03 Standing	1	BLACK	48,01
30466	CB 03 Standing	1	OLD GOLD	48,01
30480	CB 04 Hanging	1	BLACK	47,73
30442	CB 04 Hanging	1	OLD GOLD	47,73









Classification

Base E27 | Body Type Alum+ Glass | IP44 | BOX 12 pcs

LANTERN ACORN

WARRANTY 2 YEARS

SKU	Model	Color	Τιμή (€)
10833	ACORN Wall	BLACK	16,47
04108	ACORN Wall	OLD GOLD	16,47





CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Garden light CDP 1427

WARRANTY 2 YEARS



Classification

Voltage AC230V | A+ | IK08 | IP66

Base GU10 | Beam Angle 360°

SKU	Model	H mm	Color	Τιμή (€)
08045	LED Garden Light CDP 1427	400	black	44,31

LED Garden light MEDINA 65

WARRANTY 2 YEARS



MEDINA 65 L600



MEDINA 65 L800

Classification

Voltage AC230V | A+ | IK08 | IP66

Base E27 | Beam Angle 360°

SKU	Model	H mm	Color	Τιμή (€)
06836	LED Garden Light MEDINA 65-L600	600	inox	36,54
06843	LED Garden Light MEDINA 65-L800	800	inox	43,01

LED Garden light MEDINA 81

WARRANTY 2 YEARS



MEDINA 81 L800



MEDINA 81 Wall

Classification

Voltage AC230V | A+ | IK08 | IP66

Base E27 | Beam Angle 360°

SKU	Model	H mm	Color	Τιμή (€)
06867	LED Garden Light MEDINA 81-L800	800	black	71,23
06874	LED Garden Light MEDINA 81 Wall	280	black	43,48

Classification

30000hrs | A+ | IK10 | IP66 | CRI ³80 | PF >0.9 | Voltage AC230V | Beam Angle 120° | Kelvin 6000K

LED Garden light ROMA

WARRANTY 2 YEARS



Roma 1x10 W



Roma 2x10 W

SKU	Model	EQ.Watts	Lumens	H mm	Color	Τιμή (€)
87415	LED Garden Light ROMA 1X10W	10W	1000	600	black	50,88
87491	LED Garden Light ROMA 1X10W	10W	1000	600	grey	50,88
87422	LED Garden Light ROMA 1X10W	10W	1000	800	black	54,58
87507	LED Garden Light ROMA 1X10W	10W	1000	800	grey	54,58
87439	LED Garden Light ROMA 2X10W	20W	2000	600	black	54,58
87514	LED Garden Light ROMA 2X10W	20W	2000	600	grey	54,58
87446	LED Garden Light ROMA 2X10W	20W	2000	800	black	61,51
87521	LED Garden Light ROMA 2X10W	20W	2000	800	grey	61,51

Classification

30000hrs | A+ | IK10 | IP66 | CRI ³80 | PF >0.9 | Voltage AC230V | Beam Angle 120° | Kelvin 3000K

LED Garden light SYDNEY

WARRANTY 2 YEARS



SKU	Model	EQ.Watts	Lumens	H mm	Color	Τιμή (€)
14183	LED Garden Light SYDNEY	12W	1200	600	grey	84,18

Classification

Voltage AC230V | A+ | IK10 | IP66 | Beam Angle 360° | Base E27

LED Garden light KX 1503

WARRANTY 2 YEARS



KX 1503 300



KX 1503 600



KX 1503 900

SKU	Model	H mm	Color	Τιμή (€)
75351	LED Garden Light KX 1503	300	black	44,40
75375	LED Garden Light KX 1503	600	black	52,73
75399	LED Garden Light KX 1503	900	black	65,68

CE RoHS Technical specifications, packing information, photometric data: Find at www.2r-bg.com

LED Garden light GARDENA B 9075



GARDENA B 18W



GARDENA B 12W



GARDENA B 7W

Classification

30000hrs | A+ | IK08 | IP66 | CRI ³80 | PF >0.9 | Voltage AC230V | Beam Angle 60° | BOX pcs | Kelvin 6000K | Kelvin RGB

WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Kelvin	Dimensions mm	Color	pcs BOX	Τιμή (€)
10079	GARDENA B 9075	5 W	500	6000K	Ø100x150	black	50	17,11
10093	GARDENA B 9075	7 W	700	6000K	Ø140x170	black	30	22,11
10116	GARDENA B 9075	12 W	1200	6000K	Ø140x170	black	30	24,00
10130	GARDENA B 9075	18 W	1800	6000K	Ø160x170	black	20	33,76
10956	GARDENA B 9075 RGB	3 W	300	RGB	Ø70x137	black	50	19,89
10970	GARDENA B 9075 RGB	6 W	600	RGB	Ø70x137	black	30	31,36
10994	GARDENA B 9075 RGB	9 W	900	RGB	Ø140x170	black	20	38,76

LED Garden light GARDENA P 9075



GARDENA P 7W



GARDENA P 5W

Classification

30000hrs | A+ | IK08 | IP66 | CRI ³80 | PF >0.9 | Voltage AC230V | Beam Angle 60° | BOX pcs | Kelvin 6000K | Kelvin RGB

WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Kelvin	Dimensions mm	Color	pcs BOX	Τιμή (€)
10154	GARDENA P 9075	5 W	500	6000K	Ø70x137	black	50	16,84
10178	GARDENA P 9075	7 W	700	6000K	Ø100x150	black	30	18,04
11014	GARDENA P 9075 RGB	3 W	300	RGB	Ø70x137	black	50	21,74
11038	GARDENA P 9075 RGB	6 W	600	RGB	Ø100x150	black	30	31,64
11052	GARDENA P 9075 RGB	9 W	900	RGB	Ø100x150	black	20	39,31

Insect Killer

Classification

Voltage AC230V | IP20 | Body Type Aluminium + PS | BOX KILL PEST 8 pcs

LED Kill Pest 2 x 2W

WARRANTY 2 YEARS



SKU	Model	Voltage	Τιμή (€)
00049	LED KILL PEST 2 x 2W	AC 230V / 50Hz	38,94
37724	LED Lamp for KILL PEST 2W		4,35

Classification

Voltage AC230V | IP20 | Body Type Aluminium + PS | BOX KILL PEST 12 pcs

Kill Pest 2 x 6W

WARRANTY 2 YEARS



SKU	Model	Voltage	Τιμή (€)
37731	KILL PEST 2 x 6W	AC 230V / 50Hz	22,02
00063	Lamp for KILL PEST 6W		1,94

Classification

Voltage AC230V | IP20 | Body Type Aluminium + PS | BOX KILL PEST 8 pcs

Kill Pest 2 x 15W

WARRANTY 2 YEARS



SKU	Model	Voltage	Τιμή (€)
00001	KILL PEST 2 x 15W	AC 230V / 50Hz	28,31
00070	Lamp for KILL PEST 15W		2,78

Classification

Voltage AC230V | IP20 | Body Type Aluminium + PS | BOX KILL PEST 8 pcs

Kill Pest 2 x 20W

WARRANTY 2 YEARS



SKU	Model	Voltage	Τιμή (€)
00025	KILL PEST 2 x 20W	AC 230V / 50Hz	34,60
00087	Lamp for KILL PEST 20W		3,69

Sensors



Sensor 180° OM



Sensor 360° OM



Sensor 360° VG

Classification

IP44 BOX pcs

Rated Load:
max 800W resistive load(110-130V/AC)
1200W resistive load (220-240V/AC)

Time Delay:
10sec ± 5sec to 7min ± 2min (adjustable)


Ambient Light:
<3LUX~2000LUX (adjustable)

Detection Motion Speed: 0.6-1.5m/s

WARRANTY 2 YEARS

SKU	Model	Τιμή (€)
83608	Sensor 180° OM	9,16
83585	Sensor 360° OM	8,65
83622	Sensor 360° VG	9,90

2R Light Remote



Light remote N1



Light remote Y-i 4E

Classification


IP43 BOX pcs

WARRANTY 2 YEARS

SKU	Model	Type	Τιμή (€)
82380	Light remote N1	1 x 1000W / 1 x 72W LED / 1 x 150W CFL	11,98
82427	Light remote Y-i 4E	4 x 1000W / 4 x 100W LED / 4 x 200W CFL	15,26

Base E27, E40, PL-L





Classification

IP44 BOX pcs


WARRANTY 2 YEARS

SKU	Model	Τιμή (€)
73951	E27	1,94
74026	E40	4,16
73784	2G11	0,93
16859	GU 10	0,56

Street pole Sections




OCLYTE® pole 12 z FL 424



base flange

OCLYTE® pole 12 z VK 1,5



concrete: 700x700x1700

What is OCLYTE®?

OCLYTE® Poles are octagonal hot galvanized metal poles suitable for mounting of street lighting, park lighting or floodlights.

OCLYTE® are made of elements with maximum length of 4 meters, as each one is connected to the other with friction - fit. In that way you provide the needed height.


Protection covering of OCLYTE®:

Hot galvanizing is with thickness of Zinc cover 70 m and corrosion free warranty for 24 years. It provide full protection from corrosion for a period from 20 to 30 years according to the conditions on which they are exposed. This coverage do not need any maintenance during the whole period of pole usage.

Painting. Anticorrosive alkyd paint with a matt finish .It provides anticorrosive for a couple of years ahead. Repainting of the pole is needed after 4-5 years.

Mounting instructions for poles OCLYTE® series:

1. Put the main part towards hard supporting base. Use soft pads on its surface (if there is no flange). Start hitting with soft hummer the second part to the first. Soft hummer is needed to avoid flatting of the walls of the pole.
2. During assembly, the parts should be agitated to facilitate atching. This can be achieved by slightly knocking on the place of fitting.
3. Be sure that the fitting of the parts is around 200-300mm).
4. Use the same way assembling the next pieces.
5. The arm should be placed on the top of the pole on pipe with diameter Ø 60mm and after pointing to the right direction the two bolts should be fastened.



Product name of OCLYTE® poles:

The product name of the pole contains its technical information.

Example: OCLYTE® 12 Z FL 424

Height	Finish covering	Way of mounting	Indicates
3 - 15 m.	Z - Zink G - Paint	FL - Flange VK VK - Ground planted	Model of anchors - 4xM24 Planting depth, m - 1,5

OCLYTE® pole 12 z FL 424

Technical features of OCLYTE® - Poles with Flange
The pole with flange should be mounted with anchors. You can see the main sizes in the chart. The anchors are delivered together with pole.

Model	Height / m	Number of pcs. / n	Thickness / mm	Weight / kg	Size upper / lower part / mm	Concrete base for fixing / mm	Flange size	Anchors	Protection finish
2R Oclyte 4 Z FL 412	4	1	2	23	120/60	600x600x700	250x250x8	4xM12	hot zinc
2R Oclyte 5 Z FL 412	5	2	3	33	130/60	600x600x700	250x250x8	4xM12	hot zinc
2R Oclyte 6 Z FL 412	6	2	3	45	140/60	600x600x700	250x250x12	4xM12	hot zinc
2R Oclyte 7 Z FL 416	7	2	3	56	160/60	600x600x800	250x250x12	4xM16	hot zinc
2R Oclyte 8 Z FL 416	8	2	3	67	170/60	600x600x800	250x250x12	4xM16	hot zinc
2R Oclyte 9 Z FL 422	9	2	3	88	180/60	600x600x1000	250x250x16	4xM22	hot zinc
2R Oclyte 10 Z FL 422	10	3	3	100	190/60	600x600x1000	250x250x16	4xM22	hot zinc
2R Oclyte 11 Z FL 424	11	3	3	112	200/60	600x600x1000	250x250x16	4xM24	hot zinc
2R Oclyte 12 Z FL 424	12	3	3	126	210/60	600x600x1000	250x250x16	4xM24	hot zinc
2R Oclyte 13 Z FL 424	13	4	3	148	220/60	600x600x1000	250x250x16	4xM24	hot zinc
2R Oclyte 14 Z FL 424	14	4	3	159	230/60	600x600x1000	250x250x16	4xM24	hot zinc
2R Oclyte 15 Z FL 424	15	4	3	175	240/60	600x600x1000	250x250x16	4xM24	hot zinc

OCLYTE® pole 12 z VK 1,5

Technical features of OCLYTE® - Poles ground planted
The poles should be planted in the depths pointed in the chart.
You can see the main sizes in the chart.

Model	Height / m	Number of pcs. / n	Thickness / mm	Weight / kg	Size upper / lower part / mm	Concrete base for fixing / mm	planting depth / m	protection finish
2R Oclyte 4 Z VK 1	4	2	3	29	120/60	600x600x1050	1	hot zinc
2R Oclyte 5 Z VK 1	5	2	3	37	130/60	600x600x1050	1	hot zinc
2R Oclyte 6 Z VK 1	6	2	3	47	140/60	600x600x1050	1	hot zinc
2R Oclyte 7 Z VK 1	7	2	3	58	160/60	600x600x1050	1	hot zinc
2R Oclyte 8 Z VK 1	8	3	3	72	170/60	600x600x1050	1	hot zinc
2R Oclyte 9 Z VK 1	9	3	3	85	180/60	700x700x1050	1	hot zinc
2R Oclyte 10 Z VK 1	10	3	3	96	190/60	700x700x1050	1	hot zinc
2R Oclyte 11 Z VK 1	11	3	3	111	210/60	700x700x1050	1	hot zinc
2R Oclyte 12 Z VK 1,5	12	4	3	141	220/60	700x700x1050	1.5	hot zinc
2R Oclyte 13 Z VK 1,5	13	4	3	158	230/60	700x700x1050	1.5	hot zinc
2R Oclyte 14 Z VK 1,5	14	4	3	175	240/60	700x700x1050	1.5	hot zinc
2R Oclyte 15 Z VK 2	15	4	3	158	260/60	700x700x2050	2	hot zinc

Standards: The octagonal poles from model OCLYTE® are manufactured in compliance with Bulgarian and European standards:

- EN 40-1
- EN 40-2
- EN 40-3-1
- EN 40-3-2
- EN 40-3-3
- EN 40-5
- EN ISO 1461
- EN 288-1
- EN 288-2
- EN 288-3
- EN 288-8
- EN 571-1
- EN 970
- EN 12767


OCLYTE™ 2R® OCTAGONAL POLE CE

How to order OCLYTE®?

OCLYTE® can be ordered on e-mail: office@2r-bg.com
The poles are produced by 2R Bulgaria LTD in its own modern production base in City of Plovdiv, 186 Maritsa-South Blvd.

For questions and orders:

e-mail: plamen.iliev@2r-bg.com, mob.: +359 885 767 555



STS® tubular poles

The STS® tubular poles can be:
- made by the below specifications without underground part(burring) with mounted flange on the pole and anchors.
- painted or hot galvanized with thickness of the covering finish min 75 micron and warranty against corrosion 24 years.

The STS® poles complies with the following EU standards: EN 40-1, EN 40-2, EN 40-3-1, EN 40-3-2, EN 40-3-3, 40-5, EN ISO 1461.

We can produce arms according the poles - single, double, triple, quadruple, arms for floodlights etc.

Production time: 5-10 working days for painted and 12-15 days for hot galvanized poles.

There is possibility to be produced all kind of poles according to customers request and drawings.

Length above the ground	Total length L	burring K	step 1 L1	step 2 L2	step 3 L3
H = 4 m	5 m	1 m	Ø 108	Ø 89	-
H = 4 m	5 m	1 m	Ø 108	Ø 89	Ø 60
H = 5 m	6 m	1 m	Ø 108	Ø 89	-
H = 5 m	6 m	1 m	Ø 108	Ø 89	Ø 60
H = 6 m	7 m	1 m	Ø 108	Ø 89	-
H = 6 m	7 m	1 m	Ø 108	Ø 89	Ø 60
H = 7 m	8 m	1 m	Ø 108	Ø 89	Ø 60
H = 7 m	8 m	1 m	Ø 133	Ø 108	Ø 89
H = 7 m	8 m	1 m	Ø 159	Ø 133	Ø 89
H = 8 m	9,5 m	1,5 m	Ø 133	Ø 108	Ø 89
H = 8 m	9,5 m	1,5 m	Ø 159	Ø 133	Ø 89
H = 9 m	10,5 m	1,5 m	Ø 133	Ø 108	Ø 89
H = 9 m	10,5 m	1,5 m	Ø 159	Ø 133	Ø 89
H = 10 m	11,5 m	1,5 m	Ø 133	Ø 108	Ø 89
H = 10 m	11,5 m	1,5 m	Ø 159	Ø 133	Ø 89
H = 11 m	12,5 m	1,5 m	Ø 133	Ø 108	Ø 89
H = 11 m	12,5 m	1,5 m	Ø 159	Ø 133	Ø 89
H = 12 m	12,5 m	1,5 m	Ø 133	Ø 108	Ø 89
H = 12 m	13,5 m	1,5 m	Ø 159	Ø 133	Ø 89


RD 30 PH


RD 30 ZN

Arm for wall

SKU	Model	Finish	Τιμή (€)
48157	2R RD 30 PH	Powder coated	9,20
48188	2R RD 30 ZN	Galvanized	10,55


RD 301


RD 302

Arm for pole


SKU	Model	Finish	Τιμή (€)
48287	2R RD 301 PH	Powder coated	9,20
48300	2R RD 301 ZN	Galvanized	10,55
48324	2R RD 302 PH	Powder coated	9,20
48355	2R RD 302 ZN	Galvanized	10,55


DP Ø60/Ø40 adapter

Adapter Ø60/Ø40

SKU	Model	Finish	Τιμή (€)
48133	2R PD adapter Ø60/Ø40	Powder coated	7,86


PR Adjustable adapter



Adjustable adapter

SKU	Model	Finish	Τιμή (€)
48119	2R PR adapter Ø60/Ø40	Powder coated Galvanized	24,93
48126	2R PR adapter Ø60/Ø60	Powder coated Galvanized	27,70

LED Auto Lights Sections



LED WORK LAMP



LED WORK LAMP



LED WORK LAMP



LED WORK LAMP



LED WORK LAMP




LED BAR LBL C



LED BAR LBL CS



LED BAR LBL SLIM



LED BAR LBL CURVED



LED BAR LBL 5D



LED FOGLIGHTS



CABLE FOR LED AUTO

GALAXY

LED Offroad Lights

WWW.2R-BG.COM

CE RoHS *Technical specifications, packing information, photometric data: Find at www.2r-bg.com*

LED WORK LAMP



GALAXY WL 027 R



GALAXY WL 027 S

WARRANTY 2 YEARS

Classification: 50000hr | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam

WL 027R 27W

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
11861	GALAXY WL 027R 27W	27 W	2025	Ø 114 x 125 x 45	10,18
11823	GALAXY WL 027S 27W	27 W	2025	105 x 114 x 40	10,18



GALAXY WL 042 R



GALAXY WL 048 S

WARRANTY 2 YEARS

Classification: 50000hr | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam

WL 042R 42W
WL 048S 48W

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
11885	GALAXY WL 042R 42W	42 W	3150	Ø 114 x 125 x 45	14,43
11847	GALAXY WL 048S 48W	48 W	3600	105 x 114 x 40	14,71



WARRANTY 2 YEARS

Classification: 50000hr | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam

WL N010 10W

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
11946	GALAXY WL N010 10W	10 W	750	50 x 80 x 50	13,64



WARRANTY 2 YEARS

Classification: 50000hr | A+ | Voltage DC12/24V | IP67 | Kelvin 6000K | Flood Beam

MINI 18W

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
11908	GALAXY MINI 18W	18 W	1350	150 x 35 x 50	8,83



WARRANTY 2 YEARS

Classification: 50000hr | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam

MINI VG 18W

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
11922	GALAXY MINI VG 18W	18 W	1350	185 x 40 x 35	8,83



WARRANTY 2 YEARS

Classification: 50000hr | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam

WL VG 18W

SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
11960	GALAXY WL VG 18W	18 W	1350	120 x 90 x 60	15,82

Classification

50000hr | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam

WL 080S 80W

WARRANTY 2 YEARS



SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
13513	GALAXY WL 080S 80W	80 W	6000	105 x 105 x 40	46,48

Classification

50000hr | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam

WL 7" 105R 15W

WARRANTY 2 YEARS



SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
83202	GALAXY WL 7" 105R 15W	15W	1200	Ø 170 x 70	49,67

Classification

50000hr | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam

WL 7" 185R 60W

WARRANTY 2 YEARS





SKU	Model	EQ.Watts	Lumens	Dimensions mm	Τιμή (€)
83226	GALAXY WL 9" 185R 60W	60 W	4800	Ø 220 x 90	79,46



Ring for GALAXY WL 185R 220 mm

ACCESSORIES

Ring for GALAXY WL 105R / 185R

WARRANTY 2 YEARS




Ring for GALAXY WL 105R 170 mm

SKU	Model	Dimensions mm	Τιμή (€)
87538	Ring for GALAXY WL 105R black	Ø 170	3,61
87545	Ring for GALAXY WL 105R white	Ø 170	3,61
87552	Ring for GALAXY WL 185R black	Ø 220	4,49
87569	Ring for GALAXY WL 185R white	Ø 220	4,49

CE RoHS *Technical specifications, packing information, photometric data: Find at www.2r-bg.com*

LED BAR LBL C





LBL C 54W



LBL C 36W



LBL C 18W



LBL C 126W



LBL C 108W



LBL C 72W



LBL C 288W



LBL C 234W



LBL C 180W



SKU	Model	EQ.Watts	Lumens	Beam Angle	Dimensions mm	Τιμή (€)
11984	GALAXY LBL C 18W	18 W	1350	flood	70 x 97 x 64	11,33
12004	GALAXY LBL C 36W	36 W	2700	flood	70 x 165 x 64	19,06
12028	GALAXY LBL C 54W	54 W	4050	flood	70 x 232 x 64	25,72
12042	GALAXY LBL C 72W	72 W	5400	flood	70 x 300 x 64	35,61
12066	GALAXY LBL C 108W	108 W	8100	combo	70 x 437 x 64	50,51
12080	GALAXY LBL C 126W	126 W	9450	combo	70 x 500 x 70	55,32
12103	GALAXY LBL C 180W	180 W	13500	combo	70 x 710 x 64	75,94
12127	GALAXY LBL C 234W	234 W	17550	combo	70 x 910 x 64	92,36
12141	GALAXY LBL C 288W	288 W	21600	combo	70 x 1115 x 64	112,48

Classification

30000hr | A+ | Voltage DC12V | IP67

Flood Beam | Combo Beam | Kelvin 6000K

LED BAR LBL CS



LBL CS 300W



LBL CS 240W



LBL CS 180W



LBL CS 120W

WARRANTY 2 YEARS



LBL C 72W



LBL CS 36W

SKU	Model	EQ.Watts	Lumens	Beam Angle	Dimensions mm	Τιμή (€)
12844	GALAXY LBL CS 36W	36 W	3600	flood	190x73x73	22,15
12868	GALAXY LBL CS 72W	72 W	7200	flood	345x73x73	37,51
12882	GALAXY LBL CS 120W	120 W	12 000	flood	550x73x73	46,67
12905	GALAXY LBL CS 180W	180 W	18 000	combo	800x73x73	72,84
12929	GALAXY LBL CS 240W	240 W	24 000	combo	1060x73x73	97,45
12943	GALAXY LBL CS 300W	300 W	30 000	combo	1310x73x73	123,16

LED BAR LBL Slim





LBL Slim 18W



LBL Slim 36W





LBL Slim 54W



LBL Slim 72W



LBL Slim 90W

SKU	Model	EQ.Watts	Lumens	Beam Angle	Dimensions mm	Τιμή (€)
13346	GALAXY LBL Slim 18W	18 W	1350	spot	185x30x45	12,40
13360	GALAXY LBL Slim 36W	36 W	2700	spot	345x30x45	23,54
13384	GALAXY LBL Slim 54W	54 W	4050	spot	550x30x45	33,95
13407	GALAXY LBL Slim 72W	72 W	5400	combo	660x30x45	42,78
13421	GALAXY LBL Slim 90W	90 W	6750	combo	820x30x45	50,88
13445	GALAXY LBL Slim 108W	108 W	8100	combo	955x30x45	60,91
13469	GALAXY LBL Slim 126W	126 W	9450	combo	1100x30x45	74,00
13483	GALAXY LBL Slim 144W	144 W	10800	combo	1310x30x45	82,46

Classification

30000hrs | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Combo Beam

LED BAR CURVED



LBL Curved 120W

LBL Curved 180W

WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Beam Angle	Dimensions mm	Τιμή (€)
13186	GALAXY LBL Curved 120W	120 W	9000	combo	550x82x85	69,75
13209	GALAXY LBL Curved 180W	180 W	13500	combo	800x82x85	111,00
13223	GALAXY LBL Curved 240W	240 W	18000	combo	1050x82x85	142,54
13247	GALAXY LBL Curved 288W	288 W	21600	combo	1300x82x85	178,53
13261	GALAXY LBL Curved 300W	300 W	22500	combo	1335x82x85	184,40

Classification

30000hrs | A+ | Voltage DC12V | IP67 | Kelvin 6000K | Spot Beam | Combo Beam

LED BAR LBL 5D

WARRANTY 2 YEARS



LBL 5D 30W




LBL 5D 150W

SKU	Model	EQ.Watts	Lumens	Beam Angle	Dimensions mm	Τιμή (€)
13285	GALAXY LBL 5D 30W	30 W	2250	spot	190x42x80	30,99
13308	GALAXY LBL 5D 150W	150 W	11250	combo	770x42x80	111,29
13322	GALAXY LBL 5D 250W	250 W	18750	combo	1260x42x80	190,55

LED FOGLIGHTS HL 4” 18W

Classification

50000hrs · A+ · Voltage DC12V · IP67 · Kelvin 6000K · Combo Beam




WARRANTY 2 YEARS

SKU	Model	EQ.Watts	Lumens	Beam Angle	Dimensions mm	Τιμή (€)
48652	GALAXY HL 4” 18W	18 W	1350	combo	Ø 102	190,46

Cable for LED AUTO

Classification


Voltage DC12V · IP67



WARRANTY 2 YEARS


Switch for 1 light

The relay must comply with the installation voltage, of the vehicle 12V



Switch for 2 light

The relay must comply with the installation voltage, of the vehicle 12V



SKU	Model	Τιμή (€)
12974	KIT 1 cable for 1 light	19,61
12998	KIT 1 cable fir 2 lights	23,59

- CE compliance
- Class of protection I
- Class of protection II
- Class of protection III
IP** - Index of protection
- Protection against dust
IK** - Shock-protection rate
- Suitable for mounting on normally flammable surfaces
- Suitable for indoor use
- A class of energy efficieny
- Lamp size
- Circular mounting hole
- Rectangular mounting hole



ΗΛΕΚΤΡΟΚΑΛΥΨΗ ΕΠΕ

Εισαγωγές Ηλεκρολογικού Υλικού - Κύπρου 138-140 - 164 52 Αθήνα
Τηλ.: 210 9616120-121 - Fax: 210 9600124